
AEG

POWERTOOLS

2018/19



POWERING PROFESSIONALS SINCE 1898.

FEATURES KEY

FIXTEC System
For changing accessories in seconds.

Anti-Vibration-System
Significantly reduces vibration by up to 50%.

Safety Clutch
Protects user and machine is a drill bit should jam.

Dust Extraction
Integrated dust extraction for a clean working environment.

Electronics
With variable speed pre-selection, soft start, constant speed and overload protection.

L.E.D.
For workplace illumination.

Metal Chuck
For enhanced durability.

Rotatable Handle
Provides optimum comfort during grinding and cutting.

Diamond System
Designed for maximum performance when used with diamond accessories.

Gears Integrated into Chuck

Belt Clip on the Tool

Max. Cutting Depth

Keyless Safety Guard
safety guard adjustment without the use of a tool.

Soft Hammer Mode
Reduces blow energy for increased control.

2-Speed Gear
2-speed gearbox, for optimum speed to suit application.

Drill Only
Single mode - rotary drilling.

Drill and Hammer Drill
2 mode - rotary and rotary hammer drilling.

Chisel and Hammer Drill
2 mode - rotary hammer drill with shipping/demolition function.

Combi Hammer
3 mode - rotary and rotary drilling with chiseling/ demolition function.

Chisel Drill
Chiselling/demolition machine.

Hook and Loop
Easy sandpaper attachment without clamps.

Cutting Capacity

Cutting Width

Stroke Length

Impact Driver
For heavy duty screwdriving applications.

Hex ¼"
¼" quick release hex fitment.

Pendulum Action
For a faster, more aggressive cut.

Kitbox
Heavy duty kitbox.

Kitbag
Heavy duty kitbag.

Crosscut Capacity
Maximum crosscut capacity of saw.

Mitre Capacity
Maximum mitre angle right and left.

Mitre Saw Blade Laser
Projects the cut line onto material.

Bevel Capacity
Maximum bevel angle right and left.

Bevel Cut Capacity

Bevel Cut Angle

Sanding Belt Length

CONTENTS

AEG POWERTOOLS promises to draw upon its heritage and deliver exciting, high performance, innovative working solutions for the professional tradesmen of today and the future.

CORDLESS SYSTEMS	**14 – 57**
18 V Power	08 – 43
14,4 V Power	44 – 46
12 V Power	47 – 53
3,6 V Power	53 – 53
Test and Measurement	52 – 52
Omnipro	54 – 57
HAMMER SYSTEMS	**60 – 67**
Rotary Hammer	60 – 61
Combi Hammers	61 – 64
Chipping Hammers	62 – 67
Large Demolition Hammers	66 – 67
DRILLING SYSTEMS	**70 – 75**
Rotary Drill	70 – 71
Percussion Drills	72 – 72
Wall Chaser	74 – 74
Diamond Drill	74 – 74
Screwdrivers	75 – 75
METALWORKING	**78 – 87**
Small Angle Grinders	78 – 80
Large Angle Grinders	82 – 84
Die Grinders	85 – 86
Polisher	86 – 86
Right Angle Sander	87 – 87
Metal Chopsaw	87 – 87
WOODWORKING	**90 – 105**
Circular Saws	91 – 94
Jigsaws	94 – 95
Router	95 – 95
Planer	96 – 96
Reciprocating Saws	96 – 96
Sanders	97 – 99
Heat Guns	100 – 100
Table Saw	101 – 101
Mitre Saws	102 – 103
Mitre Saw Legstand	103 – 103
Dust Extraction	104 – 105
ACCESSORIES	**108 – 121**

AEG
POWERTOOLS

POWERING PROFESSIONALS SINCE 1898

PROUD PAST. EXCITING FUTURE.

Since being founded in 1891, AEG POWERTOOLS has been leading the way in new product development. By introducing the first transportable drilling machines in 1898, portable powertools were born. Over 100 years later AEG are still offering the professional user innovative, powerful solutions.

POWERING:

- AUTOMOTIVE
- CARPENTRY
- ELECTRICS
- GENERAL BUILD
- METALWORK
- PLUMBING

CORDLESS RANGE

INNOVATIVE CORDLESS SOLUTIONS FOR TOUGH CONDITIONS

AEG POWERTOOLS offer today's professional user a wide range of innovative, powerful cordless solutions that are capable of performing in the toughest conditions.

AEG
POWERTOOLS

PRO 18v

GEAR UP.
GET MORE.


























PRO 18v ONE SYSTEM

35+ TOOLS








































PRO 18V BRUSHLESS

RELENTLESS POWER IN ANY SITUATION.

3 CORE TECHNOLOGIES

At the heart of PRO18V BRUSHLESS tools lies 3 core techonlogies. These core electronics are built to offer tradesmen relentless power, instinctive technology and unstoppable runtime and sets AEG's PRO18V Brushless tools apart from all competition.

AVAILABLE BRUSHLESS TOOLS



BSB 18 CBL | BS 18 CBL | BKS 18 BL | BTS 18 BL | BHBS 18 75 BL

B18 N18 | B16 N18 | BSS 18 OP | BOF 18 BL | BPS 18 254 BL

PROFLUX BRUSHLESS MOTOR

RELENTLESS POWER

Compact 4 Pole Brushless motor with NEODYNIUM high strength magnets for Relentless power and durability.

CORETEK

INSTINCTIVE ELECTRONICS

CORETEK Intelligent Electronics constantly monitors the tools performance and communication between the PRO Li-ion battery pack and the PROFLUX motor to deliver constant speed and power.

PRO LI-ION

UNSTOPPABLE RUNTIME

PRO LITHIUM-ION technology allows you to work in the most extreme conditions down to -18°C and up to +50°C. Added triple protection and individual cell monitoring prevents tool overloading and over heating during high demand applications.

WORKS EVEN WHEN YOU DON'T WANT TO.

PRO LI-ION

UNSTOPPABLE RUNTIME

TRIPLE PROTECTION

PRO LITHIUM-ION technology allows you to work in the most extreme conditions down to -18°C and up to +50°C. Added triple protection and individual cell monitoring prevents tool overloading and over heating during high demand applictaions.

WORKS DOWN TO -18°C
AND UP TO + 50°C



BRUSHLESS HAMMERDRILL DRIVER

PRO 18v | BSB 18 CBL

Features

- New AEG Brushless Hammerdrill driver
- Compact and powerful for every jobsite application
- Only 151mm without the chuck and with chuck 193mm in length makes the shortest Brushless in the market
- 60 Nm with a (2.0Ah) / 75 Nm with a (4.0Ah) battery for maximum torque which delivers complete power
- 2 - speed 0-550 / 0-2100 rpm
- Removable 13mm ratchet chuck for the heaviest applications
- 1/4" HEX reception under the chuck, 25mm screwdriving bit can be hold in the reception while the chuck is mounted
- Offset and right angle delivering the same performance as the tool it self, no more need to cope with torque level or drilling speed and you can place them in 12 different positions. Offset and right angle attachement are sold as accessories
- New microtexture overmould for the best handling on the market
- LED light on the foot print to illuminate the work surface
- 3 mode selector - ease of use between applications
- Features AEG Pro Lithium-Ion technology with overload protection for maximum durability of battery and tool
- Supplied with a side handle and a 13mm removable chuck



Specifications

	BSB 18CBL LI-402C	BSB 18CBL LI-202C	BSB 18CBL-0
Battery type	**Li-ion**	**Li-ion**	**–**
Battery pack capacity (Ah)	**4.0**	**2.0**	**18**
No. of batteries supplied	**2**	**2**	**0**
Charger supplied	**80 min**	**40 min**	**–**
Max. drilling wood/ steel/ masonry (mm)	**45/13/14**	**45/13/14**	**45/13/14**
Chuck capacity (mm)	**1.5-13**	**1.5-13**	**1.5-13**
Max. torque (Nm)	**75**	**60**	**-**
No load speed (rpm)	**0 - 550 / 0 - 2100**	**0 - 550/0 - 2100**	**0-550 / 0-2100**
Max. percussion rate (bpm)	**7.150 / 27.300**	**7.150 / 27.300**	**7.150 / 27.300**
Weight with battery pack (kg)	**2.1**	**1.8**	**-**
Supplied in	**Kitbox**	**Kitbox**	**–**
Article Number	**4935448463**	**4935448462**	**4935451082**
EAN Code	**4002395259373**	**4002395259366**	**4002395811083**

1-2 | 13 mm | 75 Nm | 2.1kg

Right Angle Attachment
Article Number
4932430923



Right Angle Attachment
Article Number
4932430924











For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18 V PREMIUM HAMMERDRILL/DRIVER

PRO 18v | BSB 18

Features

- New high performance open frame motor
- Compact & powerful for high torque applications
- 80 Nm maximum torque delivers complete power
- Full metal gearbox and housing for superior durability
- 2-speeds – 0-450 / 0-1600 rpm
- 24 stage torque adjustment for complete control
- FIXTEC 13 mm full metal Rohm keyless chuck, with spindle lock
- LED - for work place illumination
- 3 mode selector – ease of use between applications
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with a side handle



Specifications

	BSB 18 LI-402C
Battery type	**Li-ion**
Battery pack capacity (Ah)	**4.0**
No. of batteries supplied	**2**
Charger supplied	**80 min**
Max. drilling wood/ steel/ masonry (mm)	**55/13/16**
Chuck capacity (mm)	**1.5-13**
Max. torque (Nm)	**80**
No load speed (rpm)	**0 - 450/0 - 1600**
Max. percussion rate (bpm)	**7.200 - 25.600**
Weight with battery pack (kg)	**2.5**
Supplied in	**Kitbox**
Article Number	**4935443452**
EAN Code	**4002395135769**

1-2 | 13 mm | 80 Nm | 2.5kg

18 V COMPACT HAMMERDRILL/DRIVER

PRO 18v | BSB 18C

Features

- New 4 poles frameless motor and compact gear box
- Compact & powerful for high torque applications
- Only 202 mm in length
- 60 Nm (2.0 Ah) / 70 Nm (4.0 Ah) maximum torque delivers complete power
- 2-speeds – 0-450 / 0-1650 rpm
- 24 stage torque adjustment for complete control
- FIXTEC 13 mm keyless chuck, with spindle lock
- LED - for work place illumination
- 3 mode selector – ease of use between applications
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with a side handle



Specifications

	BSB 18C Li-202C	BSB 18C Li-402C
Battery type	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	**1.8**	**4.0**
No. of batteries supplied	**2**	**2**
Charger supplied	**40 min**	**80 min**
Max. drilling wood/ steel/ masonry (mm)	**45/13/14**	**45/13/14**
Chuck capacity (mm)	**1.5-13**	**1.5-13**
Max. torque (Nm)	**60**	**70**
No load speed (rpm)	**0 - 450/0 - 1650**	**0 - 450/0 - 1650**
Max. percussion rate (bpm)	**21.450**	**21.450**
Weight with battery pack (kg)	**2**	**2.2**
Supplied in	**Kitbox**	**Kitbox**
Article Number	**4935443980**	**4935443997**
EAN Code	**4002395135684**	**4002395135745**

1-2 | 13 mm | 70 Nm | 2.2kg

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18 V HAMMERDRILL/DRIVER

PRO 18v | BSB 18G2


Features

- Compact & powerful for completion of all jobsite applications
- 50 Nm maximum torque delivers complete power
- 2 speeds - 0-400 / 0-1500 rpm
- 24 stage torque adjustment for complete control
- FIXTEC 13 mm single sleeve full metal chuck
- 3 mode selector - ease of use between functions
- Built in fuel gauge
- LED - for work place illumination
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of both battery and tool



Specifications

	BSB 18G2 LI-152C
Battery type	**Li-ion**
Battery pack capacity (Ah)	**1.5**
No. of batteries supplied	**2**
Max. drilling wood/ steel/ masonry (mm)	**34/13/12**
Chuck capacity (mm)	**1.5-13**
Max. torque (Nm)	**50**
No load speed (rpm)	**0 - 400/0 - 1500**
Weight with battery pack (kg)	**1.9**
Supplied in	**Kitbox**
Article Number	**4935433970**
EAN Code	**4002395134489**



18V HAMMERDRILL/DRIVER

PRO 18v | BSB 18C2X

NEW


Features

- Small, compact & powerful for high torque applications
- 206 mm in length and only 164 mm without the chuck
- 50 Nm (2.0 Ah) / 60 Nm (4.0 Ah) maximum torque delivers complete power
- 2 - speeds - 0-450 / 0-1800 rpm
- 13mm Metal removable chuck for improve durability and more versatility
- Robust mode selector with By-Pass
- LED for work place illumination
- Forward and reverse
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

	BSB18C2X LI-202C
Battery type	**Li-ion**
Battery pack capacity (Ah)	**2,0**
No. of batteries supplied	**2**
Charger supplied	**40 min**
Chuck capacity (mm)	**13 mm removable chuck**
Max. torque (Nm)	**50 Nm**
No load speed (rpm)	**0-450/0-1800**
Max. drilling wood/ steel/ masonry (mm)	**45mm/13mm/14mm**
Supplied in	**Toolbox**
Article Number	**4935459424**
EAN Code	**4058546010850**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18V HAMMERDRILL/DRIVER

PRO 18v | BSB 18C2

NEW


Features

- Small, compact & powerful for high torque applications
- Only 191 mm in length
- 50 Nm (2.0 Ah) / 60 Nm (4.0 Ah) maximum torque delivers complete power
- 2 - speeds - 0-450 / 0-1800 rpm
- Robust mode selector with By-Pass
- LED for work place illumination
- Forward and reverse
- 13mm Metal chuck for improve durability
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

	BSB18C2 LI-202C
Battery type	**Li-ion**
Battery pack capacity (Ah)	**2,0**
LED	**Yes**
Max. drilling wood/ steel/ masonry (mm)	**45mm/13mm/14mm**
No load speed (rpm)	**0-450/0-1800**
Max. torque (Nm)	**50 Nm**
No. of batteries supplied	**2**
Supplied in	**Toolbox**
Article Number	**4935459722**
EAN Code	**4058546028947**



BRUSHLESS DRILL DRIVER

PRO 18v | BS 18 CBL


Features

- New AEG Brushless drill driver
- Compact and powerful for every jobsite application
- Only 176mm in length for an extremely compact and perfect balanced drill driver
- 60 Nm with a (2.0 Ah) / 75 Nm with a (4.0 Ah) battery for maximum torque delivers complete power
- 2 - speeds - 0-550 / 0-2100 rpm
- 13 mm ratchet chuck for withstanding the heaviest application and a perfect torque transmission to the accessory
- New microtexture overmould for the best handling on the market
- LED light on the foot print to illuminate the work surface
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with a side handle



Specifications

	BS 18CBL LI-202C
Battery type	**Li-ion**
Battery pack capacity (Ah)	**2.0**
No. of batteries supplied	**2**
Charger supplied	**40 min**
Chuck capacity (mm)	**1.5-13**
Max. torque (Nm)	**60**
No load speed (rpm)	**0-550 /0-2100**
Weight with battery pack (kg)	**1.8**
Supplied in	**Kitbox**
Article Number	**4935448768**
EAN Code	**4002395294572**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18 V COMPACT DRILL/DRIVER

PRO 18v | BS 18C


Features

- New 4 poles frameless motor and compact gearbox
- Small, compact & powerful for high torque applications
- Only 186 mm in length
- 60 Nm (2.0 Ah) / 70 Nm (4.0 Ah) maximum torque delivers complete power
- 2 - speeds - 0-450 / 0-1650 rpm
- Integrated clutch and chuck for a more compact design
- LED for work place illumination
- Forward and reverse
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with a double ended bit and a side handle



Specifications

	BS 18C LI-202C	BS 18C LI-402C
Battery type	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	**2.0**	**4.0**
No. of batteries supplied	**2**	**2**
Charger supplied	**40 min**	**80 min**
Max. drilling wood/ steel (mm)	**45/13**	**45/13**
Chuck capacity (mm)	**13**	**13**
Max. torque (Nm)	**60**	**70**
No load speed (rpm)	**0 - 450 / 0 - 1650**	**0 - 450 / 0 - 1650**
Weight with battery pack (kg)	**1.8**	**2.0**
Supplied in	**Kitbox**	**Kitbox**
Article Number	**4935443977**	**4935443994**
EAN Code	**4002395135677**	**4002395135738**



18 V DRILL/DRIVER

PRO 18v | BS 18G2


Features

- Compact & powerful for completion of all jobsite applications
- 50 Nm maximum torque delivers complete power
- 2 speeds - 0 - 400 / 0 - 1500 rpm
- 24 stage torque adjustment for complete control
- FIXTEC 13 mm single sleeve full metal chuck
- Built in fuel gauge
- LED - for work place illumination
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of both battery and tool



Specifications

	BS 18G2 LI-152C
Battery type	**Li-ion**
Battery pack capacity (Ah)	**1.5**
No. of batteries supplied	**2**
Charger supplied	**60 min**
Max. drilling wood/ steel (mm)	**34/13**
Chuck capacity (mm)	**1.5 - 13**
Max. torque (Nm)	**50**
No load speed (rpm)	**0 - 400/0 - 1500**
Weight with battery pack (kg)	**1.8**
Supplied in	**Kitbox**
Article Number	**4935433950**
EAN Code	**4002395134441**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18V COMPACT DRILL/DRIVER

PRO 18v | BS 18C2X


Features

- Small, compact & powerful for high torque applications
- 202 mm in length and only 158 mm without the chuck
- 50 Nm (2.0 Ah) / 60 Nm (4.0 Ah) maximum torque delivers complete power
- 2 - speeds - 0-450 / 0-1800 rpm
- 13mm Metal removable chuck for improve durability and more versatility
- Robust mode selector with By-Pass
- LED for work place illumination
- Forward and reverse
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

	BS18C2X LI-202C
Name	**BS18C2X LI-202C**
Battery type	**Li-ion**
Battery pack capacity (Ah)	**2,0**
No. of batteries supplied	**2**
Charger supplied	**30 min**
Max. torque (Nm)	**50 Nm**
Max. drilling wood/ steel/ masonry (mm)	**45/13/14**
No load speed (rpm)	**450-1800 rpm**
Weight with battery pack (kg)	**1,72 kg**
Supplied in	**Toolbox**
Article Number	**4935459423**
EAN Code	**4058546010843**



18V COMPACT DRILL/DRIVER

PRO 18v | BS 18C2

NEW


Features

- Small, compact & powerful for high torque applications
- Only 187 mm in length
- 50 Nm (2.0 Ah) / 60 Nm (4.0 Ah) maximum torque delivers complete power
- 2 - speeds - 0-450 / 0-1800 rpm
- Robust mode selector with By-Pass
- LED for work place illumination
- Forward and reverse
- 13mm Metal chuck for improve durability
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

	BS18C2 LI-202C
Battery type	**Li-ion**
Battery pack capacity (Ah)	**2,0**
No. of batteries supplied	**2**
Charger supplied	**40 min**
Max. drilling wood/ steel/ masonry (mm)	**45/13/14**
Max. torque (Nm)	**50 Nm**
No load speed (rpm)	**450-1800 rpm**
Weight with battery pack (kg)	**1,68 kg**
Supplied in	**Toolbox**
Article Number	**4935459721**
EAN Code	**4058546028930**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18 V OIL PULSE IMPACT DRIVER

PRO 18v BSS 18OP

NEW

Features

- New Oil Pulse Technology allows to reduce the noise of the impact up to only 73dB
- Compact (152mm OAL) & Ergonomic Impact Driver
- Easy carriage with the belt clip, user can work hands free even on a ladder
- New Brushless Motor Technology allows extremly fast driving applications up to M14 Capacity
- 3 Speed Powerfull Gearbox delivers up to 2400rpm
- 100% backwards compatible with all 18V GBS Battery packs



Specifications

	BSS 18OP-0
Battery type	**Li-ion**
No. of batteries supplied	**0**
Charger supplied	**–**
Impact rate (ipm)	**0 - 550 / 0 - 1300 / 0 - 1700 ipm**
Max. torque (Nm)	**22 / 54 / 73**
No load speed (rpm)	**0 - 1000 / 0 - 1800 / 0 - 2400**
Supplied in	**–**
Article Number	**4935451631**
EAN Code	**4002395140985**

1700 IPM | 73 dB | 1/4" | 73 Nm | 1.4kg

18 V ULTRA COMPACT IMPACT DRIVER

PRO 18v BSS 18C

Features

- Ultra compact, well balanced impact driver
- Only 145 mm overall length
- 158 Nm maximum torque
- Delivers up to 3100 impacts per minute for increased productivity
- Industrial metal gearbox and gears for extended life
- 1/4" Hex bit reception
- Built in LED illuminates work surface
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with a single PZ2 bit



Specifications

	BSS 18C-0
Battery type	**Li-ion**
Battery pack capacity (Ah)	**–**
Max. torque (Nm)	**158**
No load speed (rpm)	**0 - 2400**
Impact rate (ipm)	**0 - 3100**
Tool reception	**1/4" Hex**
Supplied in	**–**
Article Number	**4935428405**
EAN Code	**4002395132140**

1/4" | 158 Nm | 1.6kg

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18V BRUSHLESS IMPACT WRENCH

PRO 18v BSS 18C 12Z BL

NEW

Features

- Ultra compact, well balanced impact driver
- Only 196 mm overall length
- New Brushless Motor Technology allows extremly fast driving applications
- 500 Nm maximum torque/ 360Nm in second speed/ 270Nm in first speed
- Delivers 0–3500 impacts per minute for increased productivity
- 1/2" Square reception and delivered with 1/4" hex adaptor for screwdriving
- 4 Speed Gearbox, 3 Speeds plus Auto Stop Mode
- Built in Triple LED for perfect illumination of the work surface without any shadow effect



Specifications

Name	BSS 18C 12ZBL-0	BSS 18C 12ZBL LI-402C
Battery type	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	-	**4,0**
No. of batteries supplied	**0**	**2**
Charger supplied	**–**	**80 min**
Max. torque (Nm)	**500**	**500**
No load speed (rpm)	**1400 - 2750**	**1400 - 2750**
Impact rate (ipm)	**0-3500**	**0-3500**
Tool reception	**1/2" square**	**1/2" square**
Supplied in	**–**	**Toolbox**
Article Number	**4935459426**	**4935459427**
EAN Code	**4058546010874**	**4058546010881**

1/2" | AUTO TIGHT | 0-3500 IPM | 0-2750 RPM | 500 Nm | 2.3kg

18 V ULTRA COMPACT IMPACT DRIVER

PRO 18v BSS 18C 12Z

Features

- Ultra compact, well balanced impact driver
- Only 203 mm overall length
- 360 Nm maximum torque
- Delivers 0–3200 impacts per minute for increased productivity
- Industrial metal gearbox and gears for extended life
- 1/2" Square reception and delivered with 1/4" hex adaptor for screwdriving
- Built in Triple LED for perfect illumination of the work surface without any shadow effect



Specifications

	BSS 18C 12Z-0	BSS 18C 12Z Li-402C
Battery type	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	-	**4.0**
No. of batteries supplied	**0**	**2**
Charger supplied	**–**	**80 min**
Max. torque (Nm)	**360**	**360**
No load speed (rpm)	**0 - 2900**	**0 - 2900**
Impact rate (ipm)	**0 - 3200**	**0 - 3200**
Tool reception	**1/2" square**	**1/2" square**
Weight with battery pack (kg)	**–**	**2.3**
Supplied in	**–**	**Kitbox**
Article Number	**4935446449**	**4935446456**
EAN Code	**4002395136247**	**4002395136254**

1/2" | 360 Nm | 2.3kg

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18V BRUSHLESS DRYWALL SCREWDRIVER

PRO 18v

BTS18BL

NEW

Features

- Small Drywall Screwdriver weights with an OAL of 266mm/ 418mm with collated attachment
- Really powerfull motor with 5000rpm
- Push drive function for improved runtime and improved comfort
- Incredible runtime up to 3000 screws with a L1850R Battery
- Fine adjustment nose cone for setting desired countersink levels in single screw applications +/-5 mm
- Quick release 1/4" Hex chuck allows for easy bit change
- Compatible with all 18V AEG Batteries
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability
- Belt clip to hang your tool quickly and easily



Specifications

Name	BTS18BL-0	BTS18BL-0KIT1	BTS18BL LI-202B
Battery type	**Li-ion**	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	**-**	**-**	**2,0 Ah**
Charger supplied	**–**	**–**	**40 min**
No. of batteries supplied	**0**	**0**	**2**
Tool reception	**1/4" Hex**	**1/4" Hex**	**1/4" Hex**
Max. torque (Nm)	**5 Nm**	**5 Nm**	**5 Nm**
No load speed (rpm)	**5000 rpm**	**5000 rpm**	**5000 rpm**
Standard equipment	**-**	**Collated attachment**	**2 x L1820R batteries with BL1218 Charger**
Supplied in	**–**	**Tool bag**	**Tool bag**
Wood screws to (mm)	**55mm**	**55 mm**	**55 mm**
Article Number	**4935459620**	**4935459621**	**4935464104**
EAN Code	**4058546027926**	**4058546027933**	**4058546220495**



DRYWALL COLLATED ATTACHMENT

BTS-BSA

NEW

Features

- Compatible with 12V and 18V AEG Drywall Screwdriver
- Compatible with most collated screws on the market
- Has an over all length of 238 mm
- Large opening allows quick cleaning of the drywall dust
- Large wheel for fine depth adjustment +/-3 mm
- Pre dented screw sizes, for quick tool free adjustment
- Accept screws from 25 mm up to 55 mm
- Max. screws diameter 4,2 mm



Specifications

	BTS-BSA
Supplied in	**Gift box**
Article Number	**4932459623**
EAN Code	**4058546027957**




For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

PUSH DRIVE TECHNOLOGY

IMPROVED PERFORMANCE

IMPROVED RUNTIME



The new PRO18V Brushless drywall screwdriver has push drive technology that allows the motor to work only when needed. Saving power, improving runtime and reducing noise on the jobsite.

PRO 18v BRUSHLESS

18 V CORDLESS SDS-PLUS ROTARY HAMMER

PRO 18v

BBH 18


Features

- L-shape SDS hammer for drilling and fixing into concrete up to 24 mm
- 2.3 Joule impact energy delivers high performance
- Rotary stop for light chiselling applications
- Hammer action stop for rotary drilling in wood and metal
- Metal gearbox for extended durability
- Safety clutch for user protection
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

	BBH18-0	BBH 18 Li-402C
Battery type	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	**–**	**4.0**
No. of batteries supplied	**0**	**2**
Charger supplied	**–**	**80 min**
Max. drilling wood/ steel/ concrete (mm)	**30/13/24**	**30/13/24**
Blow energy (EPTA)(J)	**2.3**	**2.3**
No load speed (rpm)	**1400**	**1400**
Full load hammer action (bpm)	**0 - 4200**	**0 - 4200**
Weight with battery pack (kg)	**–**	**3.5**
Supplied in	**–**	**Kitbox**
Article Number	**4935408330**	**4935443457**
EAN Code	**4002395132744**	**4002395135783**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18 V BRUSHLESS CIRCULAR SAW

PRO 18v | BKS 18BL

Features

- New Brushless Motor with high speed and high torque
- Ultra Compact circular saw (341mm OAL)
- LED Light + dust blow
- Magnesium guard and die cast shoe keep the tool extremely light
- Supplied with a 190 mm TCT blade with 24 carbid teeth for a perfecty clean and fast cut
- Electronic motor brake, saw blade stops within seconds
- Lock off switch for safety
- Spindle lock for fast blade changing
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

Name	**BKS 18BL-0**
Battery type	**Li-ion**
Battery pack capacity (Ah)	**-**
No. of batteries supplied	**0**
Charger supplied	**–**
No load speed (rpm)	**3800**
Max. cutting depth 45° (mm)	**45**
Max. cutting depth 90° (mm)	**64**
No load speed (rpm)	**3800**
Arbor size (mm)	**30mm**
Weight with battery pack (kg)	**3.6**
Supplied in	**–**
Article Number	**4935451537**
EAN Code	**4002395146345**



18 V HEAVY DUTY CIRCULAR SAW

PRO 18v | BKS 18

Features

- Compact, light and well balanced
- Extremely fast cutting speed of 5000 rpm
- Magnesium base and upper guard for durability
- Large 50° bevel capacity
- Electronic motor brake, saw blade stops within seconds
- Lock off switch for safety
- Spindle lock for fast blade changing
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with a 165 mm TCT blade and a side fence



Specifications

	BKS 18-0
Battery type	**Li-ion**
Blade diameter (mm)	**165**
Arbor size (mm)	**15.87 mm (⅝")**
Bevel capacity (°)	**50°**
No load speed (rpm)	**0 - 5000**
Max. cutting depth 45/90° (mm)	**41/54**
Weight with battery pack (kg)	**3.6**
Supplied in	**–**
Article Number	**4935431375**
EAN Code	**4002395132812**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18 V PENDULUM ACTION RECIPROCATING SAW

PRO 18v | BUS 18


Features

- Pendulum action for increased performance
- 3600 strokes per minute and 19 mm stroke length for fast cutting applications
- Robust bladeclamp for demolition applications
- FIXTEC for fast and easy keyless blade change
- Adjustable shoe
- Saw blade can be turned 180° for various applications
- Variable speed trigger
- Soft-grip
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with 2 blades



Specifications

	BUS 18-0
Battery type	**Li-ion**
No. of batteries supplied	**0**
No load stroke rate (spm)	**0 - 3600**
Weight with battery pack (kg)	**3.5**
Supplied in	**–**
Article Number	**4935431370**
EAN Code	**4002395132805**



BRUSHLESS SLIDE MITRE SAW

PRO 18v | BPS18-254BL

NEW


Features

- 18V Brushless motor designed for superior runtime and performance
- Dual 18v System, for longer runtime
- Dual Bevel Cut
- Clamp system, for a safer cut
- LED for perfect view on the cutting line and adjustable laser for quick and precise cut
- Blade depth adjustment, Allows for trenching applications
- 254mm Blade, providing fantastic cutting capacities upto 90mm x 305mm
- Only 15.5kg, for easy transportation on the jobsite
- Supplied with 48 tooth blade



Specifications

	BPS18-254BL-0
Battery type	**Li-ion**
Battery pack capacity (Ah)	**-**
Blade diameter (mm)	**254mm**
Max. cutting depth (mm)	**90**
No load speed (rpm)	**3900**
Max. cutting capacity 0 mitre/ 45 bevel [mm]	**39 x 305**
Max. cutting capacity 45° mitre/ 45° bevel (mm)	**39 x 215**
Max. cutting depth 45° (mm)	**43**
Mitre capacity left (°)	**45**
Mitre capacity right (°)	**45**
LED	**Yes**
Weight (kg)	**15.5**
Article Number	**4935459336**
EAN Code	**4058546009977**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18 V HEAVY DUTY JIGSAW

PRO 18v | BST 18X

Features

- Pendulum action for increased cutting performance
- Metal gearbox for extended durability
- Professional, die-cast aluminium base plate
- Patented FIXTEC system for fast keyless blade change
- Variable speed trigger
- Ergonomic soft-grip for comfortable use
- Electronic motor brake
- Supplied with a plastic shoe cover, an anti splintering device and 2 blades



Specifications

	BST 18X-0
Battery type	**Li-ion**
Stroke length (mm)	**26**
No load stroke rate (spm)	**0 - 2050**
Bevel capacity (°)	**45°**
Max. cutting capacity soft wood (mm)	**80**
Weight with battery pack (kg)	**3.5**
Supplied in	**–**
Article Number	**4935413130**
EAN Code	**4002395197460**



18V BRUSHLESS BELTSANDER

PRO 18v | BHBS 18-75BL

NEW


Features

- Powerfull 18V brushless Sander
- Compct and lightweight Sander
- Variable speed dial match the speed of the sander with the specific application
- Lock on button for comfortable operating
- Integrated dust absorption (DEK 26 system)
- Accepts up to 457mm belt lenght and 75mm belt width
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

	BHBS18-75BL-0
Battery type	**Li-ion**
Battery pack capacity (Ah)	**-**
Belt length (mm)	**457mm**
Belt width (mm)	**75mm**
No load speed (m/min)	**135-300m/min**
No load speed (rpm)	**11.000**
Speed settings	**6**
Standard equipment	**1x120grit sanding Belt, 1x 80grit sanding belt**
Article Number	**4935459582**
EAN Code	**4058546027544**



ORBITAL SANDER

PRO 18v | BEX18-125

Features

- Powerfull 18V motor 125mm random orbital sander
- Ideal for working in confined spaces and overhead
- Variable speed for optimum control
- Convenient hook & loop paper fastening
- Very efficient dust extraction, over 8 holes in the base plate
- Dust extraction, with dust bag or absorption system
- Micro texture grip for perfect handling
- Supplied with dust bag and sanding paper



Specifications

	BEX18-125 - 0	BEX18-125 LI-402C
Battery type	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	**-**	**4.0**
No. of batteries supplied	**0**	**2**
Charger supplied	**–**	**80 min**
No load speed (rpm)	**7.000 - 11.000**	**7.000 - 11.000**
Oscillation rate (opm)	**14.000 - 22.000**	**14.000 - 22.000**
Oscillation diameter (mm)	**2.4**	**2.4**
Sanding pad size (mm)	**125**	**125**
Weight with battery pack (kg)	**-**	**2.1**
Article Number	**4935451086**	**4935451087**
EAN Code	**4002395811120**	**4002395811137**



18GA BRUSHLESS NAI GUN

PRO 18v | B18N18


Features

- Vaccum Drive Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 18 Gauge (1.2mm) nails from 15,9 to 55mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-Light technology engages twin LEDs by grasping the handle
- Tool less depth and power adjustment helps to protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool less jam release for easy removal of clear nails
- Belt hook mounts left or right side for added convenience
- includes 2 non-marring pads to keep work surface free of tool marks
- Up to 1450 Nails runtime using a L1840R battery pack
- Runtime can vary by tool, battery and application



Specifications

Name	B18N18-0	B18N18 LI-201C
Battery type	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	**-**	**2.0**
Magazine capacity	**105**	**105**
Nail type (mm)	**1.2**	**1.2**
Cycle rate (h)	**2/sec**	**2/sec**
Article Number	**4935451535**	**4935451536**
EAN Code	**4002395146321**	**4002395146338**



16GA BRUSHLESS NAIL GUN

PRO 18v | B16N18

Features

- Vaccum Drive Technology provides cordless convenience, eliminating the need for a noisy compressor, bulky air hose or expensive gas cartridges
- Fires 16 Gauge (1.6mm) nails from 19 to 65mm long
- 2 firing modes, full sequential mode for precision and contact actuation mode for rapid fastening
- Grip-Light technology engages LED by grasping the handle
- Tool less depth and power adjustment helps to protect work surface and allows proper setting of nail heads
- Dry-fire lockout prevents the tool working without nails loaded
- Tool less jam release for easy removal of clear nails
- Belt hook mounts left or right side for added convenience
- includes 2 non-marking pads to keep work surface free of tool marks
- Up to 1400 Nails runtime using a L1840R battery pack
- Runtime can vary by tool, battery and application



Specifications

	B16N18-0
Battery type	**Li-ion**
Battery pack capacity (Ah)	-
Magazine capacity	**105**
Nail type (mm)	**1.6**
Cycle rate (h)	**2/Sec**
Weight with battery pack (kg)	**3,0**
Article Number	**4935451533**
EAN Code	**4002395146307**



18V CORDLESS PLANER

PRO 18v | BHO 18

Features

- Additional front handle with soft grip for convenient two-hand working
- Large dust bag for a dust free working area
- Adjustment switch for easy adjustment of the cutting depth
- Front and rear shoe have a v-groove for easy chamfer cutting
- Automatic Kickstand to protect surfaces from accidental planer contact
- Lock off switch for safety
- Ergonomic handle design with large soft-grip area for maximum comfort
- Die-cast base plate for high durability



Specifications

	BHO 18-0
Battery type	**Li-ion**
Battery pack capacity (Ah)	–
No. of batteries supplied	**0**
No load speed (rpm)	**12.000**
Planing depth (mm)	**0 - 1.6**
Planing width (mm)	**82**
Rebate depth (mm)	**0 - 12.5**
Weight with battery pack (kg)	-
Supplied in	–
Article Number	**4935413175**
EAN Code	**4002395197552**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18V BRUSHLESS TRIM ROUTER

PRO 18v | BOF 18BL

NEW

Features

- 1-Hand cordless 18V brushless Trim Router
- Up to 25.000 rpm for rounding all type of wood
- Collect size 6 mm for the most common accessories on the market
- Spindle Lock: Detents enable quick and simple router bit changes
- Built in speed dial, for adjusting the speed for different materials
- Micro adjust dial: For easily adjusting the router depth to the specific material and application
- Magnesium guard for more durability
- Ergonomic Slim Grip for maximum comfort during extended use



Specifications

	BOF18BL-0
Name	**BOF18BL-0**
Battery type	**Li-ion**
Collet capacity (mm)	**6mm**
Fuel gauge	**Yes**
No load speed (rpm)	**17.000rpm to 25.000rpm**
Plunge capacity (mm)	**32mm**
Speed settings	**7**
Standard equipment	**Edge Guide, 6mm Bit + 6,35mm, Round and Square base, wrench**
Article Number	**4935459584**
EAN Code	**4058546027568**



18 V HEAVY DUTY ANGLE GRINDER

PRO 18v | BEWS 18-115


Features

- Compact and powerful cordless angle grinder
- Overload protection with LED warning
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Fast and tool-free disc change with patented FIXTEC nut
- Built in fuel gauge
- AEG Pro Lithium-Ion battery technology for maximum durability of battery and tool
- Supplied with a FIXTEC nut, flange nut, AVS side handle and a grinding keyless guard



Specifications

	BEWS 18-115X-0	BEWS 18-115X Li-402C
Battery type	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	–	**4.0**
No. of batteries supplied	**0**	**2**
Charger supplied	–	**80 min**
No load speed (rpm)	**9.000**	**9.000**
Max. cutting depth (mm)	**28**	**28**
Spindle size	**M14**	**M14**
Weight with battery pack (kg)	–	**2.5**
Supplied in	–	**Kitbox**
Article Number	**4935433319**	**4935443463**
EAN Code	**4002395133222**	**4002395136001**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18 V HEAVY DUTY ANGLE GRINDER

PRO 18v | BEWS 18-125


Features

- Compact and powerful cordless angle grinder
- Overload protection with LED warning
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Fast and tool-free disc change with patented FIXTEC nut
- Built in fuel gauge
- AEG Pro Lithium-Ion battery technology for maximum durability of battery and tool
- Supplied with a FIXTEC nut, flange nut, AVS side handle and a grinding keyless guard



Specifications

	BEWS 18-125X-0	BEWS 18-125X Li-402C
Battery type	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	**–**	**4.0**
No. of batteries supplied	**0**	**2**
Charger supplied	**–**	**80 min**
No load speed (rpm)	**9.000**	**9.000**
Max. cutting depth (mm)	**33**	**33**
Spindle size	**M14**	**M14**
Weight with battery pack (kg)	**–**	**2.5**
Supplied in	**–**	**Kitbox**
Article Number	**4935431998**	**4935443460**
EAN Code	**4002395132980**	**4002395135790**



DAB DIGITAL JOBSITE RADIO

PRO 18v | BR 1218C


Features

- Ultra compact AC/DC jobsite Radio 1,1Kg
- 150mm width only, fits on almost all window frames
- New Pro Lithium-Ion 5.0Ah provides over 20 hours runtime
- Back light Display allows perfect visibility
- 10 channel pre set fro FM/ 10 channel pre set for DAB+
- DAB+ compatible
- Aux Cable Connector (Ipod, Phone)
- Water and debris resistant to withstand tough conditions on the jobsite
- Accept all 12V stem packs and all Pro 18V packs
- 240V 2 pin EU plug transformer included



Specifications

Name	**BR 1218C-0**
Voltage (V)	**18**
Weight (kg)	**1.1**
Article Number	**4935451539**
EAN Code	**4002395146369**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

JOBSITE RADIO

PRO 18v | BR 18C

Features

- FM AM tuner
- Aux mode for MP3 player or smartphone
- Suitable for 18V 1,5Ah / 2,0Ah / 3,0Ah and 4,0Ah pack
- IP54 for outdoor usage
- Shock resistant construction to withstand the Jobsite abuses



Specifications

	BR 18C-0
Voltage (V)	**18**
Weight without battery pack (kg)	**0.8**
Article Number	**4935447634**
EAN Code	**4002395294251**





For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

NEW PRO 18v SITE LIGHTS

POWERING THROUGH DARKNESS

The AEG Pro18v site Lights are able to provide long lasting light for a variety of needs on the jobsite. The powerful LEDs provide a clear white light and the PROLithium-ion battery deliveries unstoppable runtime, making these ideal lights for the tradesman on site.

18V LED SITE LIGHT

PRO 18v | BFL18X

NEW

Features

- High performance flood light LEDs with rotary encoder technology automatically adjusts lighting in high heat conditions
- Detachable from stand for added portability
- Dimming function makes it easy to adjust the light level
- Multiple hanging positions
- Possibility to mount the flood light on the AEG tripod



Specifications

Name	**BFL18X-0**
Battery type	**Li-ion**
Battery pack capacity (Ah)	**–**
Bulb type	**LED**
IP protection class	**IP44**
Lumens	**1.200**
No. of batteries supplied	**0**
Supplied in	**–**
Weight without battery pack (kg)	**1.8**
Article Number	**4935459657**
EAN Code	**4058546028299**

42 hrs | IP44 | 1,200 LUMEN | 4,500K CCT | 360° | 1.8kg

18V LED SITE LIGHT

PRO 18v | BTL18

NEW

Features

- High performance torch light, LED's with rotary encoder technology automatically adjusts lighting in high heat conditions
- Handheld design with belt clip makes this unit extremely portable
- Dimming function allows for correct light/concentration level per application
- Rotating head allows for multi directional concentrated light source
- 12V car adaptor included
- Up to 32 hrs runtime on low setting from 5.0Ah Battery pack



Specifications

Name	**BTL18-0**
Battery type	**Li-ion**
Battery pack capacity (Ah)	**–**
Bulb type	**LED**
IP protection class	**IP24**
Lumens	**2.100**
No. of batteries supplied	**0**
Weight without battery pack (kg)	**1.3**
Article Number	**4935459659**
EAN Code	**4058546028312**

32 hrs | 2,100 LUMEN | IP24 | 1.3kg

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18V LED SITE LIGHT

PRO 18v | BPL18

NEW

Features

- High performance LED Panels with rotary encoder technology automatically adjusts lighting in high heat conditions
- Hybrid design makes this unit versatile for worksite, camping or workshop
- Dimming function allows for correct light level per application
- Multiple hanging positions
- Folding panels enable multi directional lighting capabilities
- Up to 25 hrs runtime on low setting from 6.0Ah Battery pack



Specifications

	BPL18-0
Battery type	**Li-ion**
Battery pack capacity (Ah)	**–**
Bulb type	**LED**
Lumens	**2.500**
No. of batteries supplied	**0**
Standard equipment	**2,5m AC power cord**
Weight without battery pack (kg)	**2.5**
Supplied in	**–**
Article Number	**4935459661**
EAN Code	**4058546028336**

28 hrs | 5,000K CCT | 2,500 LUMEN | 2.5kg

LIGHT TRIPOD STAND

PRO 18v | LUS-210X

NEW

Features

- Rugged and lightweight aluminium mast construction
- Wide leg base, with weight ballasts for extra stability
- Compact storage footprint with carry handle enable ultimate portability
- Adjustable arms
- Easy lock level adjustment with bubble level
- Multiple mounting points with standard 1/4" thread size means a huge number of mounting applications
- Equipped with clip for attaching the laser distance measurer LDM 50



Specifications

Name	**LUS-210X**
Length (mm)	**882**
Length extended (mm)	**2100**
Loading capacity	**4.5kg per arm**
Weight (kg)	**3.9**
Article Number	**4935459663**
EAN Code	**4058546028350**

1/4"-20 | 882mm | 2.1m | 3.9kg

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18V LED FLASH LIGHT

PRO 18v | FL 18 New

Features

- New AEG compact and lightweight 18V torch light
- High quality LED, which provides 135 lumen
- Swivel Head rotates up to 180° which allows the user to direct the light beam at the desired work area
- Rubberized soft grip increased the comfort on the job site
- Belt clip mountable
- Extensive runtime up to 25hrs with a 18V 4,0Ah Pro Lithium Ion Battery
- Compatible with all PRO 18V Lithium-Ion batteries



Specifications

	FL18 - 0
Battery type	–
Battery pack capacity (Ah)	–
Bulb type	**LED**
Lumens	**135 lm**
Weight with battery pack (kg)	**0,808**
Article Number	**4932451164**
EAN Code	**4002395138333**

135lm | 25hrs | 0.808kg

18V INSPECTION LIGHT

PRO 18v | BFAL 18

Features

- New AEG compact and flexible 18V inspection light
- High quality LED, which provides 270 lumen
- Dual Mode LED for directional spotlight or area light
- Flexible head which allows 360° rotation
- Light can be used standing on its base or wrapped around a pipe
- Extensive runtime up to 18hrs with a 18V 4,0Ah Pro Lithium Ion Battery
- Compatible with all PRO 18V Lithium-Ion batteries



Specifications

	BFAL 18 - 0
Battery type	**Li-ion**
Bulb type	**LED**
Lumens	**270 lm**
Supplied in	–
Article Number	**4932451163**
EAN Code	**4002395138326**

270 LUMEN | 19hrs | 0.920kg

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

FLASHLIGHTS / BATTERY LAMPS

PRO 18v | BAL 18

Features

- Compact directional light source for confined spaces.
- LED Light with 2 sources, directional spot or area light
- Clip for hanging or mounting



Specifications

	BAL 18-0
Voltage (V)	**18**
Weight without battery pack (kg)	**0.3**
Article Number	**4932352661**
EAN Code	**4002395373192**

0.318kg

18V USB CHARGER

PRO 18v | BHJ18C

NEW

Features

- Compatable with all 18v PROLITHIUM-ION™ AEG Batteries
- Makes it possible to run the 12V Heated Gear out of a 18v PROLITHIUM-ION™ Batterypack
- USB charging port for MP3 player, mobile phone, digital camera, GPS
- Belt Clip for maximum comfort
- On/Off switch for USB port



Specifications

	BHJ18C-0
Battery type	**Li-ion**
Battery pack capacity (Ah)	-
Charger supplied	–
No. of batteries supplied	**0**
Article Number	**4935459335**
EAN Code	**4058546009960**

AUX

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18V 5.0 AH PROLITHIUM-ION™ BATTERY

PRO 18v | L1850R

Features

- AEG Powetools Lithium-Ion technology provides the optimum power Battery platform with triple protection
- Thermal overload protection: Protects Battery if Temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Same size and weight as the 4.0Ah but with 25% more runtime
- Backwards compatible with ALL AEG 18V tools



Specifications

Name	**L1850R**
Battery type	**Li-ion**
Battery pack capacity (Ah)	**5.0**
Voltage (V)	**18**
Article Number	**4932451630**
EAN Code	**4002395140978**

18V 4.0 AH PROLITHIUM-ION™ BATTERY

PRO 18v | L1840R

Features

- AEG Powetools Lithium-Ion technology provides the optimum power Battery platform with triple protection
- Thermal overload protection: Protects Battery if Temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with ALL AEG 18V tools
- On-board battery fuel gauge helps the user to maximize his battery run-time efficiency
- Large heat sink that dissipates heat quicker
- Rubber dampers which absorb movement and prevent damage
- Double spot welds ensure durabilty during high vibration applications and are more resistant to heat



Specifications

Name	**L1840R**
Battery type	**Li-ion**
Battery pack capacity (Ah)	**4.0**
Voltage (V)	**18**
Article Number	**4932430170**
EAN Code	**4002395378319**

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18V 3.0 AH PROLITHIUM-ION™ BATTERY

PRO 18v | L1830R

Features

- AEG Powetools Lithium-Ion technology provides the optimum power Battery platform with triple protection
- Thermal overload protection: Protects Battery if Temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with ALL AEG 18V tools
- On-board battery fuel gauge helps the user to maximize his battery run-time efficiency
- Large heat sink that dissipates heat quicker
- Rubber dampers which absorb movement and prevent damage
- Double spot welds ensure durabilty during high vibration applications and are more resistant to heat



Specifications

Name	**L1830R**
Battery type	**Li-ion**
Battery pack capacity (Ah)	**3.0**
Voltage (V)	**18**
Article Number	**4932352655**
EAN Code	**4002395373130**

18V 2.0 AH PROLITHIUM-ION™ BATTERY

PRO 18v | L1820R

Features

- AEG Powetools Lithium-Ion technology provides the optimum power Battery platform with triple protection
- Thermal overload protection: Protects Battery if Temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with ALL AEG 18V tools
- On-board battery fuel gauge helps the user to maximize his battery run-time efficiency
- Large heat sink that dissipates heat quicker
- Rubber dampers which absorb movement and prevent damage
- Double spot welds ensure durabilty during high vibration applications and are more resistant to heat



Specifications

Name	**L1820R**
Battery type	**Li-ion**
Battery pack capacity (Ah)	**2.0**
Voltage (V)	**18**
Article Number	**4932430169**
EAN Code	**4002395378302**

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18V 1.5 AH PROLITHIUM-ION™ BATTERY

PRO 18v L1815G

Features

- AEG Powetools Lithium-Ion technology provides the optimum power Battery platform with triple protection
- Thermal overload protection: Protects Battery if Temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- Backwards compatible with ALL AEG 18V tools
- Large heat sink that dissipates heat quicker
- Rubber dampers which absorb movement and prevent damage
- Single latch release



Specifications

Name	**L1815G**
Battery type	**Li-ion**
Battery pack capacity (Ah)	**1.5**
Voltage (V)	**18**
Article Number	**4932459425**
EAN Code	**4058546010867**

18V 4.0 AH PROLITHIUM-ION™ BATTERY WITH BL1218 CHARGER IN A BAG

PRO 18v SET L1840 BL

NEW

Features

- BL1218 standard Charger with 1 x 18V 4,0Ah Battery in a Sports Bag
- AEG Powetools Lithium-Ion technology provides the optimum power Battery platform with triple protection
- Thermal overload protection: Protects Battery if Temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- On-board battery fuel gauge helps the user to maximize his battery run-time efficiency



Specifications

Name	**SET L1840 BL**
Battery type	**Li-ion**
Battery pack capacity (Ah)	**4,0 Ah**
Charger supplied	**80 min**
No. of batteries supplied	**1**
Supplied in	**Tool bag**
Article Number	**4932430359**
EAN Code	**4002395380206**

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18V 5.0AH PROLITHIUM BATTERY WITH BLK1218 FAST CHARGER

PRO 18v SET L1850BLK

NEW

Features

- 12V-18V Twin Charger with fast charging and Car Plug with 1x18V 5,0Ah Battery Pack and a Bag
- AEG Powetools Lithium-Ion technology provides the optimum power Battery platform with triple protection
- Thermal overload protection: Protects Battery if Temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- On-board battery fuel gauge helps the user to maximize his battery run-time efficiency



Specifications

Name	**SET L1850BLK**
Battery type	**Li-ion**
Battery pack capacity (Ah)	**5.0 Ah**
Charger supplied	**100 min**
No. of batteries supplied	**1**
Supplied in	**Tool bag**
Article Number	**4932451629**
EAN Code	**4002395140961**

18V 2 X 2.0AH PROLITHIUM-ION BATTERY WITH BL1218 CHARGER IN A BAG

PRO 18v SET LL1820BL

NEW

Features

- BL1218 standard Charger with 2 x L1820R in a Bag
- AEG Powetools Lithium-Ion technology provides the optimum power Battery platform with triple protection
- Thermal overload protection: Protects Battery if Temperature gets too high
- Current overload protection: Shuts down the pack in order to protect battery and tool from high current draw
- Individual cell monitoring: Protects individual cells from over discharging
- On-board battery fuel gauge helps the user to maximize his battery run-time efficiency



Specifications

	SET LL1820BL
Battery type	**Li-ion**
Battery pack capacity (Ah)	**2.0**
Charger supplied	**40 min**
No. of batteries supplied	**2**
Supplied in	**Tool bag**
Article Number	**4932451626**
EAN Code	**4002395140923**

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

12-18V FAST TWIN CHARGER

PRO 18v | BLK1218

NEW

Features

- 12-18V Fast Twin Charger
- Provides fast charging capacity for stem and slide Battery packs out of 240V powersource
- Combined with a DC car plug for charging tools out of a 12V DC socket
- Quick and easy understanding about the charging status though Intuitive LED interface
- Charges 18V 5,0Ah out of main 240V power in 60mins / out of 12V DC plug in 90mins



Specifications

Name	**BLK1218**
Battery type	**Li-ion**
Article Number	**4932451538**
EAN Code	**4002395146352**

Li-ion NiCd

CHARGER

PRO 18v | BL 1218

Features

- Power LED: Indicates if the charger is plugged on an energy source
- Evaluate LED: Indicates when the charger is analyzing the battery status
- Defect LED: Blinks when the pack is defective
- Charging LED: Blinks when the battery is charging, stays when the pack is charged
- Temperature LED: Blinks when the pack is too hot or too cold and needs to be cooled or warmed before charging



Specifications

Name	**BL 1218 GEN II**
Battery type	**Li-ion, NiCd, NiMH**
Charging range	**12 - 18 V**
Article Number	**4932352659**
EAN Code	**4002395373178**

Li-ion NiCd

18V CHARGER

PRO 18v | AL1218G

Features

- 18V Charger



Specifications

	AL1218G
Battery type	**Li-ion, NiCd, NiMH**
Charging range	**12 - 18 V**
Charging time	**60 min**
Article Number	**4932352528**
EAN Code	**4002395371860**

Li-ion NiCd



14.4 V COMPACT HAMMERDRILL/DRIVER

PRO Li THIUM ION

BSB 14C


Features

- 3 mode selector
- Powerful new frameless motor delivering 50 Nm maximum torque
- 2 speeds - 0-400 / 0-1500 rpm
- FIXTEC 13 mm keyless chuck
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

	BSB 14C LI-202C
Battery type	**Li-ion**
Battery pack capacity (Ah)	**2.0**
No. of batteries supplied	**2**
Charger supplied	**40 min**
Max. drilling wood/ steel/ masonry (mm)	**45/13/14**
Max. percussion rate (bpm)	**19.500**
Chuck capacity (mm)	**1.5 - 13**
Max. torque (Nm)	**50**
No load speed (rpm)	**0 - 400/0 - 1500**
Weight with battery pack (kg)	**1.8**
Supplied in	**Kitbox**
Article Number	**4935443974**
EAN Code	**4002395136025**



14.4 V HAMMERDRILL/DRIVER

PRO Li THIUM ION

BSB 14G2

NEW


Features

- Compact & powerful for completion of all jobsite applications
- 36 Nm maximum torque delivers complete power (32 Nm NiCd)
- 2 speeds 0-400 / 0-1500 rpm (0-1400 rpm NiCd)
- 24-stage torque adjustment
- FIXTEC 13 mm single sleeve chuck with full metal jaws (10 mm NiCd)
- 3 mode selector - ease of use between functions
- LED - for work place illumination (lithium version only)
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool*



Specifications

	BSB 14G2 LI-152C	BSB 14G2 NC-142C
Battery type	**Li-ion**	**NiCd**
Battery pack capacity (Ah)	**1.5**	**1.4**
No. of batteries supplied	**2**	**2**
Charger supplied	**60 min**	**60 min**
Max. drilling wood/ steel/ masonry (mm)	**32/13/8**	**30/10/8**
Max. percussion rate (bpm)	**22.250**	**21.000**
Chuck capacity (mm)	**1.5 - 13**	**10**
Max. torque (Nm)	**36**	**32**
No load speed (rpm)	**0 - 400/0 - 1500**	**0 - 400/0 - 1400**
Weight with battery pack (kg)	**1.8**	**1.8**
Supplied in	**Kitbox**	**Kitbox**
Article Number	**4935431990**	**4935431989**
EAN Code	**4002395132997**	**4002395195107**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

14.4 V COMPACT HAMMERDRILL/DRIVER

PRO Li THIUM ION

BSB 14G3


Features

- Compact (190mm OAL) & powerful for completion of all jobsite applications
- 36 Nm maximum torque delivers complete power
- 2 speed Gearbox 0-400 / 0-1700 rpm
- 24-stage torque adjustment
- 13 mm single sleeve metal chuck with full metal jaws
- 3 mode selector - ease of use between functions
- LED - for work place illumination and built in Fuel Gauge
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool*



Specifications

	BSB14G3 LI-202C
Battery type	**Li-ion**
Battery pack capacity (Ah)	**2.0**
No. of batteries supplied	**2**
Max. drilling wood/ steel (mm)	**32/13**
Max. torque (Nm)	**36**
No load speed (rpm)	**0-400 / 0-1700**
Supplied in	**Kitbox**
Article Number	**4935451532**
EAN Code	**4002395145690**



14.4 V COMPACT DRILL/DRIVER

PRO Li THIUM ION

BS 14C


Features

- Ultra compact drill/driver measuring 186 mm in length
- Powerful new frameless motor delivering 50 Nm maximum torque
- 2 speeds 0-400 / 0-1500 rpm
- FIXTEC 13 mm keyless chuck
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

	BS 14C LI-202C
Battery type	**Li-ion**
Battery pack capacity (Ah)	**2.0**
No. of batteries supplied	**2**
Charger supplied	**40 min**
Max. drilling wood/ steel (mm)	**45/13**
Chuck capacity (mm)	**1.5-13 mm**
Max. torque (Nm)	**50**
No load speed (rpm)	**0 - 400 / 0 - 1500**
Weight with battery pack (kg)	**1.7**
Supplied in	**Kitbox**
Article Number	**4935443971**
EAN Code	**4002395135653**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

14.4 V DRILL/DRIVER

PRO Li THIUM ION

BS 14G2

NEW


Features

- Compact & powerful for completion of all jobsite applications
- 36 Nm maximum torque delivers complete power (32 Nm NiCd)
- 2 speeds 0-400 / 0-1500 rpm (0-1400 rpm NiCd)
- 24 stage torque adjustment for complete control
- FIXTEC 13 mm single sleeve chuck with full metal jaws (10 mm NiCd)
- Built in fuel gauge
- LED - for work place illumination (lithium version only)
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool*



Specifications

	BS 14G2 LI-152C	BS 14G2 NC-142C
Battery type	**Li-ion**	**NiCd**
Battery pack capacity (Ah)	**1.5**	**1.4**
No. of batteries supplied	**2**	**2**
Charger supplied	**60 min**	**60 min**
Max. drilling wood/ steel (mm)	**32/13**	**30/10**
Chuck capacity (mm)	**1.5 - 13**	**10**
Max. torque (Nm)	**36**	**32**
No load speed (rpm)	**0 - 400 / 0 - 1500**	**0 - 400 / 0 - 1400**
Weight with battery pack (kg)	**1.7**	**1.7**
Supplied in	**Kitbox**	**Kitbox**
Article Number	**4935431988**	**4935431987**
EAN Code	**4002395195084**	**4002395195077**



14 V COMPACT DRILL DRIVER

PRO Li THIUM ION

BS 14G3


Features

- Compact (Up to 180mm OAL) & powerful for completion of all jobsite applications
- Up to 36 Nm maximum torque delivers complete power
- 2 speeds 0-400 / 0-1700 rpm
- 24 stage torque adjustment for complete control
- 13 mm single sleeve metal chuck with full metal jaws (202C Version only)
- Built in fuel gauge (202C Version only)
- LED - for work place illumination (202C Version only)
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool*



Specifications

	BS 14G3 LI-152C	BS 14G3 LI-202C
Battery type	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	**1.5**	**2.0**
No. of batteries supplied	**2**	**2**
Charger supplied	**60 min**	**80 min**
Max. drilling steel (mm)	**10**	**13**
Max. drilling wood (mm)	**30**	**32**
Chuck capacity (mm)	**0.8 - 10**	**2.0 - 13**
Max. torque (Nm)	**32**	**36**
No load speed (rpm)	**0 - 400 / 0 - 1700**	**0 - 400 / 0 - 1700**
Weight with battery pack (kg)	**1.2**	**1.2**
Supplied in	**Kitbox**	**Kitbox**
Article Number	**4935451092**	**4935451093**
EAN Code	**4002395811182**	**4002395811199**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

12 V COMPACT HAMMERDRILL/DRIVER

PRO Li THIUM ION

BSB12G3


Features

- Compact (188mm OAL) & powerful for completion of all jobsite applications
- 32 Nm maximum torque delivers complete power
- 2 speed Gearbox 0-350 / 0-1500 rpm
- 24-stage torque adjustment
- 10 mm single sleeve chuck with full metal jaws
- 3 mode selector - ease of use between functions
- New 12V 2.0Ah pro Lithium pack delivering higher power and higher runtime
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Built in LED and Fuel Gauge



Specifications

	BSB 12G3 LI-202C
Battery type	**Li-ion**
Battery pack capacity (Ah)	**2.0**
No. of batteries supplied	**2**
Charger supplied	**80 min**
Max. drilling wood (mm)	**30**
Max. drilling steel (mm)	**10**
Chuck capacity (mm)	**0.8 - 10**
Max. torque (Nm)	**32**
No load speed gear 1 (rpm)	**0 - 350**
No load speed gear 2 (rpm)	**0 - 1500**
Weight with battery pack (kg)	**1.2**
Supplied in	**Kitbox**
Article Number	**4935451531**
EAN Code	**4002395145683**



12 V COMPACT DRILL DRIVER

PRO Li THIUM ION

BS 12G3


Features

- Compact (180mm OAL) & powerful for completion of all jobsite applications
- Up to 32 Nm maximum torque delivers complete power
- 2 speed Gearbox delivering 0-350 / 0-1500 rpm
- 24-stage torque adjustment for complete control
- 10 mm single sleeve chuck with full metal jaws
- New 12V 2.0 Ah pro lithium pack delivering higher power and higher runtime (202C Version only)
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

Name	BS 12G3 LI-152C	BS 12G3 LI-202C
Battery type	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	**1.5**	**2.0**
No. of batteries supplied	**2**	**2**
Charger supplied	**60 min**	**80 min**
Max. torque (Nm)	**30**	**32**
Max. drilling wood (mm)	**30**	**30**
Max. drilling steel (mm)	**10**	**10**
No load speed (rpm)	**0 - 350/0 - 1500**	**0 - 350/0 - 1500**
Chuck capacity (mm)	**0.8 - 10**	**0.8 - 10**
Weight with battery pack (kg)	**1.1**	**1.1**
Supplied in	**Kitbox**	**Kitbox**
Article Number	**4935451090**	**4935451091**
EAN Code	**4002395811168**	**4002395811175**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

12 V 2-SPEED DRILL DRIVER

PRO 12v | BBS 12C2

Features

- Removable chuck system allows user to keep a 25 mm screwdriving bit in the reception when the chuck is installed
- Extremely compact percussion drill - 192 mm length with the chuck / 155 mm without
- LED light with twilight mode - allows to work in tight and confine spacesLED light with twilight mode - allows to work in tight and confine spaces
- Belt clip for easy carriage
- Built in fuel gauge
- High torque - 32 Nm for a wide range of applications
- Offset and right angle attachments delivering the same performance as the tool itself, no more need to cope with torque level or drilling speed
- Full metal planetary gears and gear housing for maximum durability
- Compatible & Versatile
- Possible to fix the chuck on the right angle attachment in order to have a right angle drill
- Ideal for all application in series that required pre-drilling
- - 25 mm screw driving bit can be let in the reception when the attachment is installed
- - Once the hole drilled, then just pull the chuck out to drive your screw. No more need of 2 drills!



Specifications

	BBS 12C2 LI-202B	BBS 12C2 Li-202C KIT 1
Battery type	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	**2.0**	**2.0**
No. of batteries supplied	**2**	**2**
Charger supplied	**40 min**	**40 min**
Max. drilling wood/ steel (mm)	**20/10**	**20/10**
Max. torque (Nm)	**32**	**32**
No load speed (rpm)	**0 - 400/0 - 1500**	**0 - 400/0 - 1500**
Standard equipment	**Removable chuck, screwdriving bit, belt clip**	**Removable chuck, chuck offset attachment, screwdriving bit, belt clip**
Weight with battery pack (kg)	**1.2**	**1.2**
Supplied in	**Tool bag**	**Kitbox**
Article Number	**4935446693**	**4935446382**
EAN Code	**4002395136377**	**4002395136131**

10 mm | 32 Nm | 1.2kg

12 V 2-SPPED ULTRA COMPACT PERCUSSION DRILL

PRO 12v | BSB 12C2

Features

- Compact hammer drill/driver measuring only 192 mm
- Built in fuel gauge
- Belt clip
- 2-speed gearbox for a wide range of applications
- Industrial metal gearbox and gears for superior durability
- FIXTEC spindle lock and keyless 10 mm chuck
- Electronic switch with variable speed
- 3 mode selector - ease of use between applications
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Powerfull Torque of 32 Nm (2.0Ah) / 40 Nm (4.0Ah) for all driving applications



Specifications

	BSB 12C2 LI-202B	BSB 12C2 LI-402B
Battery type	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	**2.0**	**4.0**
No. of batteries supplied	**2**	**2**
Charger supplied	**40 min**	**80 min**
Max. drilling wood/ steel/ masonry (mm)	**20/10/10**	**20/10/10**
Max. percussion rate (bpm)	**22.500**	**22.500**
Chuck capacity (mm)	**10**	**10**
Max. torque (Nm)	**32**	**40**
No load speed (rpm)	**0 - 400/0 - 1500**	**0 - 400/0 - 1500**
Supplied in	**Tool bag**	**Tool bag**
Article Number	**4935443964**	**4935446696**
EAN Code	**4002395135622**	**4002395136384**

1-2 | 10 mm | 40 Nm | 1.2kg

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

NEW COMPACT SCREWDRIVER

PRO 12v | BS 12C2 NEW

Features

- New compact screwdriver
- 17-stage torque adjustment plus additional drilling stage
- 2-speed gearbox for a wide range of applications
- Built in fuel gauge
- Belt clip
- FIXTEC spindle lock on keyless 10mm chuck
- Electronic switch with variable speed
- Built in LED light illuminates the work surface
- Features AEG Pro-Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

	BS12C2 LI-152B	BS12C2 LI-202B	BS 12C2 Li-202C New
Battery type	**Li-ion**	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	**1.5**	**2.0**	**2.0**
No. of batteries supplied	**2**	**2**	**2**
Charger supplied	**30 min**	**40 min**	**40 min**
Max. drilling wood (mm)	**20**	**20**	**20**
Max. drilling steel (mm)	**10**	**10**	**10**
Max. torque (Nm)	**34**	**34**	**34**
No load speed (rpm)	**0 - 350/0 - 1500**	**0 - 350/0 - 1500**	**0 - 350/0 - 1500**
Weight with battery pack (kg)	**1.1**	**1.1**	**1.1**
Supplied in	**Tool bag**	**Tool bag**	**Kitbox**
Article Number	**4935448464**	**4935448465**	**4935447867**
EAN Code	**4002395259380**	**4002395259397**	**4002395135585**

1-2 | 10 mm | 34 Nm | 1.1kg

12 V ULTRA COMPACT DRILL/DRIVER

PRO 12v | BS 12C

Features

- Compact pocket drill/screwdriver measuring only 161 mm
- Built in fuel gauge
- 17-stage torque adjustment plus additional drilling stage
- Industrial metal gearbox and gears for superior durability
- FIXTEC spindle lock and keyless 10 mm chuck
- Electronic switch with variable speed
- Built in LED light illuminates the work surfaces
- Overload protection
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

	BS 12C LI-151B	BS 12C LI-152B
Battery type	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	**1.5**	**1.5**
No. of batteries supplied	**1**	**2**
Charger supplied	**30 min**	**30 min**
Max. drilling wood/ steel (mm)	**20/10**	**20/10**
Max. torque (Nm)	**18.5**	**18.5**
No load speed (rpm)	**0 - 575**	**0 - 575**
Weight with battery pack (kg)	**1.0**	**1.0**
Supplied in	**Tool bag**	**Tool bag**
Article Number	**4935433901**	**4935433902**
EAN Code	**4002395126347**	**4002395126354**

10 mm | 18.5 Nm | 1kg

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

12 V ULTRA COMPACT IMPACT DRIVER

PRO 12v

BSS 12C

Features

- Ultra compact impact driver measuring only 163 mm
- 115 Nm torque
- Industrial metal gearbox and gears for superior durability
- Built in fuel gauge
- 1/4" Hex bit reception
- Ergonomic soft-grip design
- NEW 3 beam LED for total workplace illumination
- Belt clip
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

	BSS 12C-0	BSS 12C LI-202C
Battery type	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	-	**2.0**
No. of batteries supplied	**0**	**2**
Charger supplied	**–**	**40 min**
Max. torque (Nm)	**115**	**115**
No load speed (rpm)	**0 - 2000**	**0 - 2000**
Impact rate (ipm)	**0 - 3000**	**0 - 3000**
Tool reception	**1/4" Hex**	**1/4" Hex**
Weight with battery pack (kg)	**–**	**1.0**
Supplied in	**–**	**Kitbox**
Article Number	**4935446702**	**4935443965**
EAN Code	**4002395136407**	**4002395135639**

1/4" | 115 Nm | 1kg

12 V CORDLESS HAMMER

PRO 12v

BBH 12

Features

- L-shape SDS hammer for drilling and fixing into concrete up to 13 mm
- 0.9 Joule impact energy delivers high performance
- Hammer action stop for rotary drilling in wood and metal
- Built in fuel gauge
- Metal gearbox for extended durability
- Safety clutch for user protection
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool
- Supplied with a screwdriving bit adaptor



Specifications

	BBH12-0	BBH 12 LI-202C	BBH 12 LI-402C	BBH 12 LI-401C
Battery type	**Li-ion**	**Li-ion**	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	-	**2.0**	**4.0**	**4.0**
No. of batteries supplied	**0**	**2**	**2**	**1**
Charger supplied	**–**	**40 min**	**80 min**	**80 min**
Max. drilling wood/ steel/ concrete (mm)	**10/8/13**	**10/8/13**	**10/8/13**	**10/8/13**
Blow energy (EPTA)(J)	**0.9**	**0.9**	**0.9**	**0.9**
No load speed (rpm)	**0 - 800**	**0 - 800**	**0 - 800**	**0 - 800**
Full load hammer action (bpm)	**0 - 5350**	**0 - 5350**	**0 - 5350**	**0 - 5350**
Weight with battery pack (kg)	**–**	**1.6**	**1.8**	**1.8**
Supplied in	**–**	**Kitbox**	**Kitbox**	**Kitbox**
Article Number	**4935446699**	**4935443968**	**4935443991**	**4935443988**
EAN Code	**4002395136391**	**4002395135646**	**4002395135721**	**4002395135714**

SDS PLUS | SAFETY | 0.9 Joule | 1.8kg

12 V HAMMERDRILL/DRIVER

PRO Li THIUM ION

BSB 12G2

Features

- Compact & powerful for completion of all jobsite applications
- 30 Nm maximum torque delivers complete power
- 2 speeds 0-350 / 0-1350 rpm
- 24-stage torque adjustment
- FIXTEC 10 mm single sleeve chuck with full metal jaws
- 3 mode selector - ease of use between functions
- New 12V 1.5Ah pro Lithium pack delivering higher power and higher runtime
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

	BSB 12G2 LI-152C	BSB 12G2 NC-142C
Battery type	**Li-ion**	**NiCd**
Battery pack capacity (Ah)	**1.5**	**1.4**
No. of batteries supplied	**2**	**2**
Charger supplied	**60 min**	**60 min**
Max. drilling wood/ steel/ masonry (mm)	**30/10/6**	**30/10/6**
Max. percussion rate (bpm)	**20.250**	**20.250**
Chuck capacity (mm)	**10**	**10**
Max. torque (Nm)	**30**	**30**
No load speed (rpm)	**0 - 350 /0 - 1350**	**0 - 350 /0 - 1350**
Weight with battery pack (kg)	**1.5**	**1.7**
Supplied in	**Kitbox**	**Kitbox**
Article Number	**4935446690**	**4935431986**
EAN Code	**4002395136360**	**4002395195053**

FIXTEC | 1-2 | 10 mm | 30 Nm | 1.5kg

12 V DRILL/DRIVER

PRO Li THIUM ION

BS 12G2

Features

- Compact & powerful for completion of all jobsite applications
- 30 Nm maximum torque delivers complete power
- 2 speeds 0-350 / 0-1350 rpm
- 24-stage torque adjustment for complete control
- FIXTEC 10 mm single sleeve chuck with full metal jaws
- New 12V 1.5 Ah pro lithium pack delivering higher power and higher runtime
- Features AEG Pro Lithium-Ion battery technology with overload protection for maximum durability of battery and tool



Specifications

	BS 12G2 LI-152C	BS 12G2 NC-142C
Battery type	**Li-ion**	**NiCd**
Battery pack capacity (Ah)	**1.5**	**1.4**
No. of batteries supplied	**2**	**2**
Charger supplied	**60 min**	**60 min**
Max. drilling wood/ steel (mm)	**30/10**	**30/10**
Chuck capacity (mm)	**1.5 - 10**	**10**
Max. torque (Nm)	**30**	**30**
No load speed (rpm)	**0 - 350/0 - 1350**	**0 - 350/0 - 1350**
Weight with battery pack (kg)	**1.4**	**1.6**
Supplied in	**Kitbox**	**Kitbox**
Article Number	**4935446687**	**4935431985**
EAN Code	**4002395136353**	**4002395195060**

FIXTEC | 1-2 | 10 mm | 30 Nm | 1.4kg

12V DRYWALL SCREWDRIVER

PRO 12v | BTS12C

NEW

Features

- Light and small Drywall Screwdriver weights only 1,5 kg with an OAL of 254mm
- Really powerfull motor with 4000rpm
- A lock on Trigger to work more comfortable and safe runtime
- Fine adjustment nose cone for setting desired countersink levels in single screw applications +/-5 mm
- Quick release 1/4" Hex chuck allows for easy bit change
- Individual battery cell monitoring optimises tool run time and ensures long term pack durability
- Fuel gauge displays remaining charge
- Bright LED workspace illumination
- Belt clip to hang your tool quickly and easily



Specifications

	BTS12C-0	BTS12C LI-202C	BTS12C LI-302C
Battery type	**Li-ion**	**Li-ion**	**Li-ion**
Battery pack capacity (Ah)	**-**	**2,0 Ah**	**3,0 Ah**
Charger supplied	**–**	**40 min**	**60 min**
Max. torque (Nm)	**3 Nm**	**3 Nm**	**3 Nm**
No load speed (rpm)	**4000 rpm**	**4000 rpm**	**4000 rpm**
No. of batteries supplied	**0**	**2**	**2**
Tool reception	**1/4" Hex**	**1/4" Hex**	**1/4" Hex**
Wood screws to (mm)	**55 mm**	**55 mm**	**55 mm**
Supplied in	**Gift box**	**Toolbox**	**Toolbox**
Article Number	**4935459624**	**4935459625**	**4935459626**
EAN Code	**4058546027964**	**4058546027971**	**4058546027988**

254mm | ±5mm | 1/4" | 1kg

LASER DISTANCE METER

PRO LITHIUM ION | LMG 50

Features

- Point and shoot system - one person measuring with only one simple press of a button
- Area, volume, height and width measurement
- Pythagoras 3 types
- Large and easy to read 3 line LCD graphical display with automatic white backlight
- Measuring pin for corner measurement
- Memory recall for last 10 measurements
- IP54 water & dust protection
- Extremely slim LDM
- Rubber overmold for a perfect handling
- Large rising buttons with intuitive positioning
- Belt clip makes it easy to carry and to hold in the pocket
- Addition/Subtraction function for adding measures of areas and volumes
- 3 points of measures: from the back, front or back end pin
- Indirect surface measurement



Specifications

	LMG 50
Battery type	**2 x AAA**
IP protection class	**IP 54**
Max. measurement range (m)	**50**
Pythagoras function	**3 - point**
Article Number	**4935447680**
EAN Code	**4002395294275**

0.1kg

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

FLASHLIGHTS / BATTERY LAMPS

PRO 12v | BLL 12 C

Features

- Fantastic power to weight ratio
- Extra long runtime with Pro lithium Packs



Specifications

	BLL 12C
Bulb type	**LED**
Battery Life (continuous use) (hrs)	**9 (1.5ah)**
Weight without battery pack (kg)	**0.23**
Article Number	**4932352162**
EAN Code	**4002395368150**

0.23kg

3.6 V INLINE SCREWDRIVER

PRO LITHIUM ION | SE 3.6

Features

- In-line or angled handle adjustment
- 10-stage torque selection plus drill stage
- Ergonomic, modern design
- 2-speed full metal gearbox
- 1/4" Hex bit reception



Specifications

	SE 3.6 LI-152C
Battery type	**Li-ion**
Battery pack capacity (Ah)	**1.5**
No. of batteries supplied	**2**
Charger supplied	**30 min**
No load speed (rpm)	**200/600**
Supplied in	**Kitbox**
Article Number	**4935413165**
EAN Code	**4002395197538**

1-2 | 1/4" | 6.5 Nm | 0.6kg

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

18 V MULTI-TOOL

PRO 18v

OMNI 18C

Features

- Gives more power and more runtime than the 12 V power base, whilst keeping the advantage of cordless portability.
- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2-finger switch with adjustable speed
- One handed use of applicationsc



Specifications

	OMNI 18C 0-KIT1	OMNI 18C LI-152BKIT1
Battery pack capacity (Ah)	–	1.5
No. of batteries supplied	0	2
Oscillation rate (opm)	20,000	20,000
Charger supplied	–	30 min
Standard equipment	1 x multi-tool head, accessories	1 x multi-tool head, accessories
Supplied in	–	Tool bag
Article Number	4935440645	4935440644
EAN Code	4002395134649	4002395134632



12 V MULTI-TOOL

PRO 12v

OMNI 12C

Features

- Offers users the ultimate in ergonomics. The light weight, compact body is ideal for working in tight spaces.
- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2 finger switch with adjustable speed
- One handed use of applications



Specifications

	OMNI 12C LI-152BKIT1	OMNI 12C LI-152BKIT2	OMNI 12C LI-152BKIT3
Battery pack capacity (Ah)	1.5	1.5	1.5
Charger supplied	30 min	30 min	30 min
Standard equipment	1 x multi-tool head, accessories	1 x multi-tool head, 1 x right angle drill head, accessories	1 x multi-tool head, 1 x jigsaw head, accessories
Oscillation rate (opm)	20,000	20,000	20,000
No. of batteries supplied	2	2	2
Supplied in	Tool bag	Tool bag	Tool bag
Article Number	4935440765	4935440770	4935440780
EAN Code	4002395134809	4002395134816	4002395134830



AC MULTI-TOOL

OMNI 300

Features

- Tool free interchangeable heads to easily switch between a wide range of applications
- Large 2 finger switch with adjustable speed
- One handed use of applications
- LED for work place illumination
- Mains machine



Specifications

	OMNI 300 KIT1
Power input (W)	300
No. of batteries supplied	0
Oscillation rate (opm)	20,000
Oscillation angle left/ right (°)	2.0
Standard equipment	1 x multi-tool head, accessories
Supplied in	Tool bag
Article Number	4935431790
EAN Code	4002395194995



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

KEYLESS OMNI MULTI TOOL HEAD

OMNI - MTX

Features

- For applications: cutting, grout removal, rasping, sanding, scraping, polishing
- Keyless blade change system no more allen key needed for an easy and quick solution
- Full metal head construction for more durability
- Supplied with an adaptor which are fitting the most comon baldes on the market



Specifications

Name	OMNI - MTX
Oscillation angle left/ right (°)	2° / 2°
Oscillation rate (opm)	20.000
Article Number	4935446707
EAN Code	4002395136414

OMNI MULTI-TOOL HEAD

OMNI-MT

Features

- For applications: sawing, grout removal, rasping, shaving, sanding, scraping, filing, cutting, sharpening, polishing



Specifications

	OMNI-MT
Oscillation angle left/ right (°)	1.5
Article Number	4935440700
EAN Code	4002395134717

ROTARY/DRYWALL CUTTER HEAD

OMNI - RT

Features

- The new OMNI-RT head is another problem solver head for the professional user, which will help them to make clean and precise curve plunge cut in drywall. Precise cut in non-ferrous metal, small and precise grinding & sanding jobs
- Up to 24.000 rpm clean cut in all materials
- Adjustable depth gauge for having a perfect control of the cut
- Multipurpose depth gauge: one end depth gauge, other End Key to change the bit. Easy and quick solution, always by the tool, no need to lose time looking for the key
- 3,2mm reception accept the most common accessories on the market. Can be used: cutting wheel for cutting metal. Grinding wheel for metal. Sanding wheels for wood. Drywall drill bit etc.



Specifications

Name	OMNI - RT
No load speed (rpm)	24.000
Collet capacity (mm)	3,175
Article Number	4935451311
EAN Code	4002395151295

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

OMNI JIGSAW HEAD

OMNI-JS

Features

- For applications: cutting wood, laminate, thin metal and plastic
- Keyless blade change system
- Integrated Dust Blow
- Full metal gear case for mawimum durability
- 15mm Stroke Length for clean and fast cuts



Specifications

	OMNI-JS
Max. cutting capacity wood/ steel/ aluminium (mm)	**40/6/10**
Stroke length (mm)	**15**
No load stroke rate (spm)	**0 - 3000**
Article Number	**4935440715**
EAN Code	**4002395134748**

OMNI RECIPROCATING SAW HEAD

OMNI-RH

Features

- For applications: cutting metal & plastic pipe, wood (interior, garden & exterior), plasterboard
- 13mm Stroke length and up to 3.000 spm for fast cutting application
- Keyless Blade change for perfect ergonomics



Specifications

Name	OMNI-RH
No load stroke rate (spm)	**0 - 3000**
Stroke length (mm)	**13**
Article Number	**4935440725**
EAN Code	**4002395134762**

OMNI RIGHT ANGLE DRILLING HEAD

OMNI-RAD

Features

- For applications: drilling wood, metal and plastic, fastening / screwdriving
- Single Sleeve 10mm Chuck



Specifications

Name	OMNI-RAD
Max. drilling wood/ steel (mm)	**18/10**
Max. torque (Nm)	**12**
No load speed (rpm)	**0 - 550**
Wood screws to (mm)	**4**
Article Number	**4935440705**
EAN Code	**4002395134724**

OMNI RATCHET HEAD

OMNI-IR

Features

- For applications: fastening / loosening bolts
- 3/8'' reception
- 28Nm Torque for up to M12 capacity of nuts
- upt to 220rpm in forward / reverse



Specifications

Name	OMNI-IR
No load speed (rpm)	**0 - 220**
Tool reception	**3/8" square**
Max. torque (Nm)	**28**
Article Number	**4935440720**
EAN Code	**4002395134755**

OMNI IMPACT DRIVER HEAD

OMNI-IH

Features

- For applications: fastening / screwdriving, drilling wood & metal
- Quick Release system for easy change of bit



Specifications

	OMNI-IH
Max. torque (Nm)	**62**
Impact rate (ipm)	**0 - 3100**
No load speed (rpm)	**0 - 2000**
Tool reception	**1/4" Hex**
Article Number	**4935440730**
EAN Code	**4002395134779**




HAMMER RANGE

HIGH PERFORMANCE POWER WHEN YOU NEED IT MOST

AEG POWERTOOLS offer an extensive selection of high performance rotary, combination, chipping and demolition hammers.

AEG
POWERTOOLS



SDS-PLUS ROTARY HAMMER

KH 24IXE


Features

- Powerful 800 watt motor
- 24 mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- FIXTEC quick change chuck
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and reverse mechanism
- Soft-grip handle for comfort
- Supplied with a side handle, FIXTEC adaptor and keyless chuck, metal depth gauge and a 4 m cable



Specifications

	KH 24IXE
Power input (W)	**800**
No load speed (rpm)	**0 - 1500**
Blow energy (EPTA)(J)	**2.4**
Full load hammer action (bpm)	**0 - 4500**
Max. drilling wood/ steel/ concrete (mm)	**30/ 13/ 24mm**
FIXTEC	**Yes**
Weight (kg)	**2.8**
Tool reception	**SDS-Plus**
Supplied in	**Kitbox**
Article Number	**4935451553**
EAN Code	**4002395144556**



SDS-PLUS ROTARY HAMMER

KH 24IE


Features

- Powerful 800 watt motor
- 24 mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Safety cluch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and Reverse mechanism
- Soft grip handle for comfort



Specifications

	KH 24IE
Power input (W)	**800**
No load speed (rpm)	**0 - 1500**
Blow energy (EPTA)(J)	**2.4**
Full load hammer action (bpm)	**0 - 4500**
Max. drilling wood/ steel/ concrete (mm)	**30/ 13/ 24mm**
FIXTEC	**No**
Weight (kg)	**2.8**
Tool reception	**SDS-Plus**
Supplied in	**Kitbox**
Article Number	**4935451555**
EAN Code	**4002395144570**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

ROTARY HAMMER

BH 24IE


Features

- Powerful 800 watt motor
- 24 mm drilling capacity in concrete
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and reverse mechanism
- Soft-grip handle for comfort
- Supplied with a side handle, metal depth gauge and a 4 m cable



Specifications

	BH 24IE
Power input (W)	**800**
No load speed (rpm)	**0 - 1500**
Max. drilling wood/ steel/ concrete (mm)	**30/ 13/ 24mm**
Full load hammer action (bpm)	**0 - 4500**
Blow energy (EPTA)(J)	**2.4**
Tool reception	**SDS-Plus**
Weight (kg)	**2.8**
Supplied in	**Kitbox**
Article Number	**4935451558**
EAN Code	**4002395145201**



SDS-PLUS COMBI HAMMER

KH 26E


Features

- Powerful 800 watt motor
- 26 mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Forward and Reverse mechanism
- Soft-grip handle for comfort
- Supplied with a side handle, meta depth gauge and a 4 m cable



Specifications

	KH 26E	KH 26XE
Power input (W)	**800**	**800**
No load speed (rpm)	**0 - 1500**	**0 - 1500**
Blow energy (EPTA)(J)	**2.5**	**2.5**
Full load hammer action (bpm)	**0 - 4500**	**0 - 4500**
Max. drilling wood/ steel/ concrete (mm)	**30/13/26**	**30/13/26**
FIXTEC	**No**	**Yes**
Weight (kg)	**2.6**	**2.8**
Supplied in	**Kitbox**	**Kitbox**
Article Number	**4935428180**	**4935428910**
EAN Code	**4002395194360**	**4002395194681**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

SDS-PLUS COMBI HAMMER

KH 28 Super XE


Features

- Powerful 1010 watt motor
- 28 mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Soft hammer mode reduces blow energy and speed for drilling/chiselling in sensitive materials
- FIXTEC quick change tool system
- Safety clutch for user protection
- Variable speed electronics for control
- Hammer action stop for drilling in wood or metal
- Soft-grip handle for comfort
- Electronic overload protection
- No load speed limitation
- Supplied with a side handle, FIXTEC adaptor and keyless chuck, metal depth gauge and a 4 m cable



Specifications

	KH 28 Super XE
Power input (W)	**1010**
No load speed (rpm)	**0 - 1500**
Blow energy (EPTA)(J)	**2.8**
Full load hammer action (bpm)	**0 - 5000**
Max. drilling wood/ steel/ concrete (mm)	**30/13/28**
Weight (kg)	**2.8**
Supplied in	**Kitbox**
Article Number	**4935428190**
EAN Code	**4002395194377**



SDS-PLUS COMBI HAMMER

BH 26LXE


Features

- Powerful 750 watt motor
- 26 mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Soft hammer mode reduces blow energy and speed for drilling/chiselling in sensitive materials
- FIXTEC quick change tool system
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Safety clutch for user protection
- Hammer action stop for drilling in wood or metal
- Supplied with a side handle, FIXTEC adaptor and keyless chuck, metal depth gauge and a 4 m cable



Specifications

	BH 26LXE	BH 26LE
Power input (W)	**750**	**750**
No load speed (rpm)	**0 - 1400**	**0 - 1400**
Blow energy (EPTA)(J)	**2.7**	**2.7**
Full load hammer action (bpm)	**0 - 4500**	**0 - 4500**
Max. drilling wood/ steel/ concrete (mm)	**30/13/26**	**30/13/26**
FIXTEC	**Yes**	**No**
Weight (kg)	**3.1**	**2.9**
Supplied in	**Kitbox**	**Kitbox**
Article Number	**4935412000**	**4935412042**
EAN Code	**4002395197187**	**4002395197903**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

SDS-PLUS COMBI HAMMER

PN 3500X


Features

- Powerful 750 watt motor
- 30 mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Soft hammer mode reduces blow energy and speed for controlled drilling in masonry
- FIXTEC quick change tool system
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Safety clutch for user protection
- Hammer action stop for drilling in wood or metal
- Supplied with a side handle, FIXTEC adaptor and keyed chuck, metal depth gauge and a 4 m cable



Specifications

	PN 3500X	PN 3500
Power input (W)	**750**	**750**
No load speed (rpm)	**0 - 970**	**0 - 970**
Blow energy (EPTA)(J)	**3.4**	**3.4**
Full load hammer action (bpm)	**0 - 4200**	**0 - 4200**
Max. drilling wood/ steel/ concrete (mm)	**40/16/30**	**40/16/30**
FIXTEC	**Yes**	**No**
Weight (kg)	**3.6**	**3.4**
Supplied in	**Kitbox**	**Kitbox**
Article Number	**4935412210**	**4935412152**
EAN Code	**4002395198337**	**4002395198306**



SDS-PLUS CHIPPING HAMMER

PM 3


Features

- Powerful 720 watt motor
- 3.6 J impact energy for powerful chipping
- Variolock (35 positions) for selecting the most appropriate chisel angle
- Service hatches for easy changing of carbon brushes
- Lock-on switch function
- AVS anti-vibration system significantly reduces vibration for more comfortable operation
- Soft-grip for more comfortable handling
- Supplied with a side handle and a 4 m cable



Specifications

	PM 3
Power input (W)	**720**
Blow energy (EPTA)(J)	**3.6**
Full load hammer action (bpm)	**0 - 3650**
Weight (kg)	**3.7**
Supplied in	**Kitbox**
Article Number	**4935412541**
EAN Code	**4002395199044**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

SDS-MAX COMBI HAMMER

KH 5 G


Features

- Powerful 1100 watt motor
- 7.5 J EPTA blow energy
- 40 mm drilling capacity in concrete
- Rotary stop for chiselling applications
- Safety clutch for user protection
- Soft start for precise start of drilling/chiselling
- Supplied with a side handle, metal depth gauge, grease and a 4 m cable



Specifications

	KH 5 G
Power input (W)	**1100**
No load speed (rpm)	**0 - 450**
Blow energy (EPTA)(J)	**7.5**
Full load hammer action (bpm)	**0 - 3000**
Max. drilling concrete/core bit/tunnel drill bit (mm)	**40/105/65**
Weight (kg)	**6.4**
Supplied in	**Kitbox**
Article Number	**4935418160**
EAN Code	**4002395133062**



SDS-MAX COMBI HAMMER

KH 5 E


Features

- Powerful 1200 watt motor
- 40 mm drilling capacity in concrete
- Rotary stop for light chiselling applications
- Soft hammer mode reduces blow energy and speed for drilling/chiselling in sensitive materials
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Safety clutch for user protection
- Soft start for precise start of drilling/chiselling
- Service light provides in-time notice in the case of worn out brushes
- Power light indicates if electricity flows
- Supplied with a side handle, metal depth gauge, grease and a 6 m cable



Specifications

	KH 5 E
Power input (W)	**1200**
No load speed (rpm)	**0 - 300**
Blow energy (EPTA)(J)	**8.5**
Full load hammer action (bpm)	**0 - 2840**
Max. drilling concrete/core bit/tunnel drill bit (mm)	**40/90/65**
Weight (kg)	**6.6**
Supplied in	**Kitbox**
Article Number	**4935412326**
EAN Code	**4002395198603**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

SDS-MAX TRADESMANN CHIPPING HAMMER

MH 5 G


Features

- Best power to weight ratio in its class
- 2 mode SDS-Max chipping hammer
- Multi position chisel function gives 12 different positions to optimize working angle
- Robust magnesium gear housing for tough environments, exact seat fitting of gear components for better cooling
- Low vibration construction enhances usage time per day
- Soft grip side handle
- Supplied with a side handle and a 4 m cable



Specifications

	MH 5G
Power input (W)	**1100**
Blow energy (EPTA)(J)	**7.5**
Full load hammer action (bpm)	**0 - 3000**
Vibration chiseling (m/s²)	**16.7**
Weight (kg)	**5.9**
Supplied in	**Kitbox**
Article Number	**4935443170**
EAN Code	**4002395135462**



SDS-MAX DEMOLITION HAMMER

MH 5 E


Features

- Powerful 1200 watt motor
- 8.5 J impact energy for effortless chipping
- Soft hammer mode reduces blow energy for chiselling in sensitive materials
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Soft start for precise start of chiselling
- Service light provides in-time notice in the case of worn out brushes
- Power light indicates if electricity flows
- Supplied with a D front handle, grease and a 6 m cable



Specifications

	MH 5 E
Power input (W)	**1200**
Blow energy (EPTA)(J)	**8.5**
Full load hammer action (bpm)	**0 - 2840**
Weight (kg)	**6.2**
Supplied in	**Kitbox**
Article Number	**4935412361**
EAN Code	**4002395198795**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

SDS-MAX LARGE COMBI HAMMER

PN 11 E


Features

- Powerful 1700 watt motor
- 20 J impact energy for heavy demolition applications
- 50 mm drilling capacity into concrete
- Variable speed electronics for control
- No load speed limitation
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Safety clutch for user protection
- Soft start for precise start of drilling/chiselling
- Service light provides in-time notice in the case of worn out brushes
- Automatic cut out carbon brushes
- Soft-grip on handles for comfort
- Supplied with a D front handle, additional side handle, grease and a 6 m cable



Specifications

	PN 11 E
Power input (W)	**1700**
Blow energy (EPTA)(J)	**20**
Full load hammer action (bpm)	**975 - 1950**
Max. drilling concrete/core bit/tunnel drill bit (mm)	**50/150/80**
Weight (kg)	**11.8**
Supplied in	**Kitbox**
Article Number	**4935412440**
EAN Code	**4002395198931**



SDS-MAX LARGE DEMOLITION HAMMER

PM 10 E


Features

- Powerful 1600 watt motor
- 20 J impact energy for heavy demolition applications
- Variable speed electronics for control
- No load speed limitation
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Soft start for precise start of chiselling
- Service light provides in-time notice in the case of worn out brushes
- Automatic cut out carbon brushes
- Soft-grip on handles for comfort
- Supplied with a D front handle, grease and a 6 m cable



Specifications

	PM 10 E
Power input (W)	**1600**
Blow energy (EPTA)(J)	**20**
Full load hammer action (bpm)	**975 - 1950**
Weight (kg)	**11.0**
Supplied in	**Kitbox**
Article Number	**4935412418**
EAN Code	**4002395198832**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

SDS-MAX DEMOLITION HAMMER

MH 7 E


Features

- Powerful 1.500 watt motor
- 10.5 J impact energy for stronger chipping applications
- Soft hammer mode for reducing the blow energy by working on sensitive materials
- AVS anti-vibration system significantly reduces vibration for user comfort and safety
- Soft start for precise start of chiseling
- Service lights provides in-time notice in the case of worn out brushes
- Power light indicates if electricity flows



Specifications

	MH 7E
Power input (W)	**1500**
Full load hammer action (bpm)	**0 - 2700**
Blow energy (EPTA)(J)	**10.5**
Vibration chiseling (m/s²)	**11.1**
Weight (kg)	**7.3**
Supplied in	**Kitbox**
Article Number	**4935459422**
EAN Code	**4058546010836**





For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

DRILLING RANGE

MORE POWER JUST WHEN YOU NEED IT

AEG POWERTOOLS offer the power to drill deeper with their powerful range of percussion drills offering enhanced performance, reliability and durability for todays professional user.

AEG
POWERTOOLS



NEW ROTARY DRILL

BE 750 RE

Features

- Compact and powerful 750 watt motor
- Speed dial and lock on trigger button for stationary drilling
- High drilling speed at 3.000 rpm
- IMB design for more durability
- Reinforced 2 sleeve 13 mm chuck
- Rubber overmold with micro texture for a perfect handling



Specifications

	BE 750 RE
Power input (W)	**750**
No load speed (rpm)	**0 - 3000**
Max. drilling wood/ steel (mm)	**30/13**
Chuck capacity (mm)	**1.5 - 13**
Max. torque (Nm)	**27**
Weight (kg)	**1.9**
Supplied in	**Tool bag**
Article Number	**4935449160**
EAN Code	**4002395245116**



ROTARY DRILL

B4-1050


Features

- Four-speed rotary drill for drilling up to 32 mm
- Breast plate and 57 mm gear neck for use in magnetic drill stands
- Standard morse taper 3 reception
- Attachable handle with adjustable length
- Supplied with a breast plate, attachable handle and a 4 m cable



Specifications

	B4-1050
Power input (W)	**1050**
No load speed (rpm)	**220/260/350/420**
Max. drilling wood/ steel/ aluminium (mm)	**52/32/52**
Max. torque (Nm)	**200**
Tool reception	**Morse taper 3**
Weight (kg)	**9.7**
Supplied in	**–**
Article Number	**4935415000**
EAN Code	**4002395193356**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

1-SPEED PERCUSSION DRILL

SBE 705 RE

Features

- Powerful 705 watt motor
- Spoeed dial on the switch with lock on button
- Fast drilling speed at 2.800 rpm
- IMB design for more durability
- High quality 13mm metal chuck
- Rubber overmold with micro texture for a perfect handling



Specifications

	SBE 705 RE
Power input (W)	**705**
No load speed (rpm)	**0 - 2800**
Max. drilling wood/ steel/ masonry/ concrete (mm)	**30/13/20/15**
Max. torque (Nm)	**25**
Chuck capacity (mm)	**13**
Weight (kg)	**1.9**
Supplied in	**Tool bag**
Article Number	**4935442830**
EAN Code	**4002395247851**



1-SPEED PERCUSSION DRILL

SBE 750 RE

Features

- Compact and powerful 750 watt motor
- Speed dial and lock on trigger button for stationary drilling
- High drilling speed at 3.000 rpm
- IMB design for more durability
- Reinforced 2 sleeve 13 mm chuck
- Rubber overmold with micro texture for a perfect handling



Specifications

	SBE 750 RE	SBE 750 RZ
Power input (W)	**750**	**750**
Max. drilling concrete (mm)	**16**	**16**
Max. drilling masonry (mm)	**20**	**20**
Max. torque (Nm)	**27**	**27**
Chuck capacity (mm)	**1.5 - 13**	**1.5 - 13**
Chuck type	Keyless	Keyed
Weight (kg)	**1.9**	**1.9**
Supplied in	**Kitbox**	**Tool bag**
Article Number	**4935442850**	**4935442840**
EAN Code	**4002395247875**	**4002395247868**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

HIGH TORQUE PERCUSSION DRILL

SB2E 750 RX ST


Features

- Compact and powerful 750 watt high torque percussion drill
- 62 Nm torque delivers complete power
- IMB - Integrated-Metal-Block technology for highest durability and stability
- 2-speed gearbox with synchromesh gear lever
- Variable speed control with speed dial, forward and reverse mechanism
- Easy access to carbon brushes via removal of soft-grip rubber
- Hammer action stop for rotary drilling
- 13 mm metal keyless chuck
- Supplied with a side handle, metal depth gauge and a 4 m cable



Specifications

	SB2E 750 RX ST	SB2E 750 R ST
Power input (W)	**750**	**750**
No load speed (rpm)	**0 - 1200/0 - 3400**	**0 - 1200/0 - 3400**
Max. drilling wood/ steel/ masonry/ concrete (mm)	**40/13/22/20**	**40/13/22/20**
Max. torque (Nm)	**62**	**62**
Chuck capacity (mm)	**13**	**13**
Weight (kg)	**2.5**	**2.5**
Supplied in	**Kitbox**	**Kitbox**
Article Number	**4935412853**	**4935412839**
EAN Code	**4002395192779**	**4002395192700**



L-SHAPE PERCUSSION DRILL

Ergomax


Features

- Ultra compact powerful 750 watt percussion drill
- Superior ergonomic design
- Removable main handle
- IMB - Integrated-Metal-Block technology for highest durability and stability
- Variable speed control with forward and reverse mechanism
- Patented FIXTEC system for quick and easy changing of accessories
- 2-speed planetary synchromesh gearbox
- Direct bit reception for reduced weight, reduced length and improved visibility
- Hammer action stop for rotary drilling
- 13 mm metal keyless chuck
- Supplied with a side handle, metal depth gauge and a 4 m cable



Specifications

	Ergomax
Power input (W)	**750**
No load speed (rpm)	**0 - 1200/0 - 3400**
Max. drilling wood/ steel/ masonry/ concrete (mm)	**40/13/22/20**
Max. torque (Nm)	**58**
Chuck capacity (mm)	**13**
Weight (kg)	**2.6**
Supplied in	**Kitbox**
Article Number	**4935412396**
EAN Code	**4002395198870**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

2-SPEED PERCUSSION DRILL

SB2E 850 R


Features

- 850 Watt powerful 2 speed percussion drill
- 10 mm shorter than the previous version (235 mm OAL)
- Large switch with speed dial for stationary drilling or light mixing
- Large metal gear case for maximum durability
- 13 mm metal chuck
- Ergonomic soft-grip design for comfort



Specifications

	SB2E 850 R	SB2E 850 RZ
Power input (W)	**850**	**850**
No load speed (rpm)	**0 - 1000/0 - 3000**	**0 - 1000/0 - 3000**
Max. drilling wood/ steel/ masonry/ concrete (mm)	**40/13/22/20**	**40/13/22/20**
Max. torque (Nm)	**56**	**56**
Chuck capacity (mm)	**13**	**13**
Chuck type	**Keyless**	**Keyed**
Weight (kg)	**2.7**	**2.7**
Supplied in	**Kitbox**	**Kitbox**
Article Number	**4935447360**	**4935447370**
EAN Code	**4002395294152**	**4002395294169**



2-SPEED PERCUSSION DRILL

SB2E 1100 RV

Features

- 1100 Watt powerful 2 speed percussion drill
- Anti vibration system for better comfort of use
- Large metal gear case for maximum durability
- 13 mm metal chuck
- Ergonomic soft-grip design for comfort



Specifications

	SB2E 1100 RV	SB2E 1100 RVZ
Power input (W)	**1100**	**1100**
No load speed (rpm)	**0 - 1000/0 - 3200**	**0 - 1000/0 - 3200**
Max. drilling wood/ steel/ masonry/ concrete (mm)	**40/13/24/22**	**40/13/24/22**
Max. torque (Nm)	**60**	**60**
Chuck capacity (mm)	**13**	**13**
Chuck type	Keyless	Keyed
Weight (kg)	**2.9**	**2.9**
Supplied in	**Kitbox**	**Kitbox**
Article Number	**4935447375**	**4935447385**
EAN Code	**4002395294176**	**4002395294183**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

DRY DIAMOND DRILL

DB 1500-2 XE

Features

- Powerful 1500 watt motor
- High performance 2-speed dry diamond drill
- Dual protection with interlinked mechanical and electronic clutches for safety
- Robust construction and full metal gearbox for durability
- 2-speed gear box
- Electronics with soft start for precision drilling and motor overload protection
- Soft hammer mode
- Supplied with a handle



Specifications

	DB 1500-2XE
Power input (W)	**1500**
No load speed (rpm)	**0 - 1500/0 - 3000**
Spindle size	**M 18 x 2.5**
Max. drilling masonry (mm)	**162**
Weight (kg)	**4.2**
Supplied in	**Kitbox**
Article Number	**4935412475**
EAN Code	**4002395198955**



WALL CHASER

MFE 1500


Features

- Powerful 1500 watt motor
- Electronics with thermal overload protection and soft start
- Variable and adjustable cutting depth for accurate results
- Variable cutting width for versatility
- Bayonet adaptor for dust extraction
- Spindle lock
- Supplied with a 4 m cable, special break out chisel, front handle, suction adaptor and a spanner



Specifications

	MFE 1500
Power input (W)	**1500**
Disc diameter (mm)	**125**
No load speed (rpm)	**0 - 9500**
Cutting width (mm)	**8-26**
Weight (kg)	**4.1**
Supplied in	**Kitbox**
Article Number	**4935413605**
EAN Code	**4002395192809**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

DRYWALL SCREWDRIVER

S 4000 E


Features

- Powerful 720 watt motor for increased productivity
- Compact high speed screwdriver for drywall applications
- Full metal gearbox for durability
- Easily adjustable depth-setting nosepiece for consistent fastener depth
- Forward and reverse mechanism
- Ergonomic design and soft-grip for comfortable handling
- ¼˝ Hex bit reception
- Belt clip
- Supplied with a depth gauge, bit holder, PH 2 bit, belt clip and a 4 m cable



Specifications

	S 4000 E
Power input (W)	**720**
No load speed (rpm)	**0 - 4000**
Drywall screws [mm]	**5**
Max. torque (Nm)	**10**
Tool reception	**¹/₄˝ Hex**
Weight (kg)	**1.4**
Supplied in	**–**
Article Number	**4935413215**
EAN Code	**4002395197637**



SELF DRILLING SCREWDRIVER

S 2500 E


Features

- Powerful 720 watt motor for increased productivity
- Compact self drilling screwdriver with high torque for self tapping screws
- Full metal gearbox for durability
- Easily adjustable depth-setting nosepiece for consistent fastener depth
- Forward and reverse mechanism
- Ergonomic design and soft grip for comfortable handling
- ¼˝ Hex bit reception
- Belt clip
- Supplied with a 2 depth gauge, bit holder, PH 2 bit, belt clip, 4 m cable and ³/₈" & ⁵/₁₆" Hex sockets



Specifications

	S 2500 E
Power input (W)	**720**
No load speed (rpm)	**0 - 2500**
Self-tapping [mm]	**6**
Wood screws to (mm)	**6**
Max. torque (Nm)	**14**
Tool reception	**¹/₄˝ Hex**
Weight (kg)	**1.5**
Supplied in	**–**
Article Number	**4935413225**
EAN Code	**4002395197651**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

METAL-WORKING RANGE

POWER TO PERFORM

AEG POWERTOOLS offer an extensive range of grinders in a wide variety of power classes for the most diverse professional applications. These high performance tools are equipped with advanced features to ensure comfort and ease of use in the most challenging environments

AEG
POWERTOOLS



SMALL ANGLE GRINDER

WS 8-115 S

Features

- New powerful 800 watt motor
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Metal gearbox for durability
- Directed air exhaust
- Gear head rotates at 90° intervals for added versatility
- Flat metal gear head for excellent visibility of work piece and optimised cutting depth
- Protected air inlets
- Spindle lock
- Supplied with an additional handle, flange, flange nut and spanner



Specifications

	WS8-115S
Power input (W)	**800**
No load speed (rpm)	**12.000**
Max. cutting depth (mm)	**35**
Disc diameter (mm)	**115**
Spindle size	**M14**
Weight (kg)	**1.9**
Supplied in	**–**
Article Number	**4935451293**
EAN Code	**4002395150519**



SMALL ANGLE GRINDER

WS 8-125 S

Features

- New powerful 800 watt motor
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Metal gearbox for durability
- Directed air exhaust
- Gear head rotates at 90° intervals for added versatility
- Flat metal gear head for excellent visibility of work piece and optimised cutting depth
- Protected air inlets
- Spindle lock
- Supplied with an additional handle, flange, flange nut and spanner



Specifications

	WS8-125SK	WS8-125S
Power input (W)	**800**	**800**
No load speed (rpm)	**12.000**	**12.000**
Max. cutting depth (mm)	**40**	**40**
Disc diameter (mm)	**125**	**125**
Spindle size	**M14**	**M14**
Weight (kg)	**1,9**	**1,9**
Supplied in	**Kitbox**	**–**
Article Number	**4935451298**	**4935451296**
EAN Code	**4002395150564**	**4002395150540**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

SMALL ANGLE GRINDER

WS 10-115 S


Features

- New powerful 1000 watt motor with outstanding performance
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocking occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Spindle lock
- Supplied with a AVS side handle, keyless safety guard, flange, flange nut and spanner



Specifications

	WS 10-115 S
Power input (W)	**1000**
No load speed (rpm)	**11.500**
Max. cutting depth (mm)	**35**
Disc diameter (mm)	**115**
Spindle size	**M14**
Weight (kg)	**2,3**
Supplied in	**-**
Article Number	**4935451300**
EAN Code	**4002395150588**



SMALL ANGLE GRINDER

WS 10-125 S

Features

- New powerful 1000 watt motor with outstanding performance
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocking occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Spindle lock
- Supplied with a AVS side handle, keyless safety guard, flange, flange nut and spanner



Specifications

	WS 10-125 S	WS 10-125 SK
Power input (W)	**1000**	**1000**
No load speed (rpm)	**11.500**	**11.500**
Max. cutting depth (mm)	**40**	**40**
Disc diameter (mm)	**125**	**125**
Spindle size	**M14**	**M14**
Weight (kg)	**2,3**	**2.3**
Supplied in	**–**	**Kitbox**
Article Number	**4935451302**	**4935451303**
EAN Code	**4002395151202**	**4002395151219**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

SMALL ANGLE GRINDER

WS 12-125 S


Features

- New powerful 1200 watt motor with outstanding performance
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocking occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Spindle lock
- Supplied with an AVS side handle, keyless safety guard, flange, flange nut and spanner



Specifications

	WS 12-125 SK	WS 12-125 S
Power input (W)	**1200**	**1200**
No load speed (rpm)	**11.500**	**11.500**
Max. cutting depth (mm)	**40**	**40**
Disc diameter (mm)	**125**	**125**
Spindle size	**M14**	**M14**
Weight (kg)	**2,4**	**2,4**
Supplied in	**Kitbox**	**–**
Article Number	**4935451307**	**4935451306**
EAN Code	**4002395151257**	**4002395151240**



SMALL ANGLE GRINDER

WS13-125 SXE


Features

- New powerful 1300 W motor with outstanding performance
- Line lock out (LLO)-function to prevent automatic start up after power breakdown
- Variable speed electronics for lower speed setting especially in finishing applications
- Constant speed for best performance and high torque, even in lower speed applications
- Machined metal gears for best durability
- Flat metal gear head for excellent visibility of work piece and work in restricted areas
- Optimised cooling slots prevent overheating, even when blocking occasionally by hand
- Most compact girth and length for comfortable use all day long
- Lightweight for best handling
- AVS side handle for comfort and safety
- Burst resistant keyless safety guard for easy and fast guard adjustment
- Spindle lock
- Supplied with an AVS side handle, keyless safety guard, flange, flange nut and spanner



Specifications

	WS13-125 SXE	WS13-125 SXEK
Power input (W)	**1300**	**1300**
No load speed (rpm)	**2.800 - 11.500**	**2.800 - 11.500**
Max. cutting depth (mm)	**40**	**40**
Disc diameter (mm)	**125**	**125**
Spindle size	**M14**	**M14**
Weight (kg)	**2,4**	**2,4**
Supplied in	**–**	**Kitbox**
Article Number	**4935451309**	**4935451310**
EAN Code	**4002395151271**	**4002395151288**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com



LARGE ANGLE GRINDER

WS 15-125 SX


Features

- New powerful 1520 watt motor
- DIGITRONIC with constant speed electronics, soft start, motor overload protection and no load speed limitation
- FIXTEC - patented nut for fast and easy disc changing
- Automatic cut-off, easy change carbon brushes
- Flat metal gear head for excellent visibility of work piece and optimised cutting depth
- Epoxy coating field and armature - combat abrasive dust to increase tool lifetime
- New "snap-in" safety guard for keyless adjustment
- Spindle lock, with safety mechanism
- Large surface safety switch



Specifications

	WS 15-125 SX
Power input (W)	**1520**
No load speed (rpm)	**11.000**
Max. cutting depth (mm)	**35**
Disc diameter (mm)	**125**
Spindle size	**M14**
Weight (kg)	**2.5**
Supplied in	**–**
Article Number	**4935455100**
EAN Code	**4002395247264**



LARGE ANGLE GRINDER

WS 24-180 V

Features

- Powerful 2400 watt motor
- AVS: additional handle for more comfort handling and less strain on body joints
- Epoxy-coated field windings and armature - prevents accumulation of abrasive dust, increasing tool life
- High quality sealed bearings provide superior protection
- New "snap-in" safety guard for keyless adjustment
- Convenient three-finger switch with soft start
- Soft start for smooth startup
- Supplied with a 4 m cable, wrench, flange, flange nut, anti-vibration additional handle, safety guard



Specifications

	WS 24-180 V
Power input (W)	**2400**
No load speed (rpm)	**8,500**
Max. cutting depth (mm)	**44**
Disc diameter (mm)	**180**
Spindle size	**M14**
Weight (kg)	**5.3**
Supplied in	**–**
Article Number	**4935446490**
EAN Code	**4002395136285**



LARGE ANGLE GRINDER

WS 22-180

Features

- Powerful 2200 W motor with powder field coating for long life time and outstanding performance in all applications
- Extreme compact design with an overall short length of 485 mm and 5.1 kg for most comfortable handling
- Line lock out function to prevent automatic start up after power loss
- Soft start for smooth start up
- Burst resistant keyed safty guard
- External brush doors for easy access to the brushes for fast servicing
- Supplied with a cable, wrench, flange, flange nut, anti-vibration addition handle and a safety guard



Specifications

	WS 22-180 E	WS 22-180 DMS
Power input (W)	**2200**	**2200**
No load speed (rpm)	**8,500**	**8,500**
Max. cutting depth (mm)	**45**	**45**
Disc diameter (mm)	**180**	**180**
Spindle size	**M14**	**M14**
Deadman switch	**No**	**Yes**
Weight (kg)	**5.1**	**5.1**
Supplied in	**–**	**–**
Article Number	**4935431690**	**4935431700**
EAN Code	**4002395194858**	**4002395194865**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

LARGE ANGLE GRINDER

WS 22-230

Features

- Powerful 2200 watt motor with powder field coating for long life time and outstanding performance in all applications
- Extreme compact design with an overall short length of 485 mm and 5.1 kg for most comfortable handling
- Line lock out function to prevent automatic startup after power loss
- Soft start for smooth start up
- Burst resistant keyed safety guard
- External brush doors for easy access to the brushes for fast servicing
- Supplied with a cable, wrench, flange, fange nut, anti-vibration additional handle and a safety guard



Specifications

	WS 22-230 E	WS 22-230 DMS
Power input (W)	**2200**	**2200**
No load speed (rpm)	**6,600**	**6,600**
Max. cutting depth (mm)	**68**	**68**
Disc diameter (mm)	**230**	**230**
Spindle size	**M14**	**M14**
Deadman switch	**No**	**Yes**
Weight (kg)	**5.2**	**5.2**
Supplied in	**–**	**–**
Article Number	**4935431720**	**4935431730**
EAN Code	**4002395194889**	**4002395194902**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

LARGE ANGLE GRINDER

WS 24-230 V

Features

- Powerful 2400 watt motor
- AVS: additional handle for more comfort handling and less strain on body joints
- Epoxy-coated field windings and armature - prevents accumulation of abrasive dust, increasing tool life
- High quality sealed bearings provide superior protection
- New “snap-in” safety guard for keyless adjustment
- Convenient three-finger switch with soft start
- Soft start for smooth startup
- Supplied with a 4 m cable, wrench, flange, flange nut, anti-vibration handle and a safety guard



Specifications

	WS 24-230 V
Power input (W)	**2400**
No load speed (rpm)	**6,600**
Max. cutting depth (mm)	**68**
Disc diameter (mm)	**230**
Spindle size	**M14**
Weight (kg)	**5.4**
Supplied in	**–**
Article Number	**4935446500**
EAN Code	**4002395136292**



LARGE ANGLE GRINDER

WS 24-230 GEV


Features

- Powerful 2400 watt motor with powder field coating for long life time and outstanding performance in all applications
- Extreme compact design with an overall short length of 515 mm and 5.6 kg for most comfortable handling
- Line lock out function to prevent automatic start up after power loss
- Soft start for smooth start up
- Burst resistant quick release safety guard for easy adjustment
- AVS equipped motor housing and 2-positions Anti-vibration side handle for less vibrations
- 7 step rotating main handle and large soft grip area for most comfortable handling
- External brush doors for easy access to the brushes for fast servicing
- 4 m rubber cable
- Supplied with a wrench, flange, flange nut, anti-vibration additional handle and a safety guard



Specifications

	WS 24-230 GEV	WS 24-230 GV DMS
Power input (W)	**2400**	**2400**
No load speed (rpm)	**0 - 6,600**	**0 - 6,600**
Max. cutting depth (mm)	**68**	**68**
Disc diameter (mm)	**230**	**230**
Spindle size	**M14**	**M14**
Deadman switch	**No**	**Yes**
Weight (kg)	**5.6**	**5.6**
Supplied in	**Kitbox**	**–**
Article Number	**4935431765**	**4935431775**
EAN Code	**4002395194964**	**4002395194971**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

FIXTEC NUTS







DIE GRINDER

GS 500 E

Features

- High speed, one handed die grinder
- Variable speed electronic
- Automatic cut-off carbon brushes
- High rotation precision metal gearbox
- Weight only 1.3 kg
- Ergonomic switch
- Supplied with a key, 6 mm collect and a 4 m cable



Specifications

	GS 500 E
Power input (W)	**500**
No load speed (rpm)	**10,000 - 29,000**
Collet capacity (mm)	**6**
Max. grinding wheel diameter (mm)	**40**
Max. grinding pin diameter (mm)	**20**
Weight (kg)	**1.3**
Supplied in	**–**
Article Number	**4935412985**
EAN Code	**4002395192939**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

DIE GRINDER — GSL 600 E

Features

- Variable speed electronics
- Long spindle for easy access to awkward places
- Double bearing spindle seating for smooth rotation
- Automatic cut-off carbon brushes
- High rotation precision metal gearbox
- Weight only 1.9 kg
- Ergonomic switch
- Supplied with a key, 6 mm collect and a 4 m cable



Specifications

	GSL 600 E
Power input (W)	**600**
No load speed (rpm)	**10,000 - 29,000**
Collet capacity (mm)	**6**
Max. grinding wheel diameter (mm)	**40**
Max. grinding pin diameter (mm)	**20**
Weight (kg)	**1.9**
Supplied in	**–**
Article Number	**4935412965**
EAN Code	**4002395192946**



RIGHT ANGLE SANDER — SE 12-180

Features

- 1200 watt sander with full wave electronics
- Variable speed electronics for various materials and finishing
- High motor torque and optimum speed range for sanding, especially for fine surface work
- Automatic cut-off carbon brushes
- Externally accessible brushes for easy replacement
- Spindle lock
- Large 3 finger switch
- Supplied with a 4 m cable, additional handle with guard, flange nut and a flexible backing pad



Specifications

	SE 12-180
Power input (W)	**1200**
No load speed (rpm)	**1,800 - 4,800**
Disc diameter (mm)	**180**
Spindle size	**M14**
Weight (kg)	**2.5**
Supplied in	**–**
Article Number	**4935412279**
EAN Code	**4002395198481**



POLISHER — PE 150

Features

- 1200 watt polisher
- Variable speed electronics for various materials and finishes
- Special gearing for high spindle torque and ideal polishing speed
- Automatic cut-off carbon brushes
- Externally accessible brushes for easy replacement
- Spindle lock
- Large 3 finger switch
- Supplied with a 4 m cable, additional handle, cap and a backing pad



Specifications

	PE 150
Power input (W)	**1200**
No load speed (rpm)	**900 - 2,500**
Disc diameter (mm)	**150**
Spindle size	**M14**
Weight (kg)	**2.1**
Supplied in	**–**
Article Number	**4935412266**
EAN Code	**4002395198443**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

METAL CHOPSAW — SMT 355

Features

- Powerful 2300 watt motor
- - 45°/0°/45° mitre capacity with quick release mitre clamp
- Spindle lock for easy wheel and accessory changing
- Deflector protects the user from sparks
- Oversize guard for added safety
- On board wrench storage
- Rubber feet for greater stability
- Replaceable carbon brushes
- Supplied with a 4 m cable, 355 mm cutting disc and a spanner



Specifications

	SMT 355
Power input (W)	**2300**
No load speed (rpm)	**3800**
Wheel size (mm)	**355**
Bore size (mm)	**25.4**
Weight (kg)	**16.5**
Supplied in	**–**
Article Number	**4935411770**
EAN Code	**4002395129638**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

WOOD-WORKING RANGE

HIGH PERFORMANCE POWERFUL SOLUTIONS

AEG POWERTOOLS woodworking range offers a comprehensive selection of high performance machines to take on the most varied, professional applications. All of these tools offer ease of use, reliability, durability and features to ensure professional efficiency and best results.

AEG
POWERTOOLS

66 MM CIRCULAR SAW

KS 66-2


Features

- Powerful 1600 watt motor
- 0-56 degree bevel capacity with 45 degree positive stop
- Die cast shoe and guard. More durable and stable
- Large action levers for easy operating
- Micro texture grip on front and back handle
- 4 m cable
- Dust port with DEK 26 connection to our AEG dust extractors



Specifications

	KS 66-2
Power input (W)	**1600**
No load speed (rpm)	**0 - 5800**
Mitre capacity (°)	**0- 56**
Blade diameter/Arbor size (mm)	**190/30**
Max. cutting depth 45/90° (mm)	**47/64**
Weight (kg)	**4.8**
Supplied in	**Tool bag**
Article Number	**4935446675**
EAN Code	**4002395136339**



55 MM CIRCULAR SAW

KS 55-2


Features

- Powerful 1200 watt motor
- 0-50° bevel capacity with 45° positive stop
- Magnesium shoe and guards. More durable and stable
- Large action levers for easy operating
- Micro texture grip on front and back handle
- 4 m cable
- Dust port with DEK 26 connection to our AEG dust extractors



Specifications

	KS 55-2
Power input (W)	**1200**
No load speed (rpm)	**0 - 6,100**
Mitre capacity (°)	**0 - 50**
Blade diameter/Arbor size (mm)	**165/20**
Max. cutting depth 45/90° (mm)	**41/54**
Weight (kg)	**3.3**
Supplied in	**Tool bag**
Article Number	**4935446665**
EAN Code	**4002395136322**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

TOPHANDLE JIGSAW

STEP 100 X

Features

- New Tophandle Jigsaw with a new powerful 700 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 6-different speed settings for a better cutting control
- Better ergonomic design with integrated soft-grip
- Dust extraction port
- Dust blower keeps cut line clear for accuracy
- Dust blower keeps cut line clear for accuracy
- Keyless Adjustment of the Base plate for cutting close to edges and for precise Bevel cuts up to 45°
- Supplied with a 4m cable, blade, anti-splitering guard and dust cap



Specifications

	STEP 100 X
Power input (W)	**700**
No load stroke rate (spm)	**1000 - 3200**
Mitre capacity (°)	**45°**
Stroke length (mm)	**20**
Pendulum settings	**4**
Max. cutting capacity wood/ steel/ aluminium (mm)	**100/10/20**
Weight (kg)	**2.3**
Supplied in	**Kitbox**
Article Number	**4935451000**
EAN Code	**4002395136513**



TOPHANDLE JIGSAW

STEP 100

Features

- New Tophandle Jigsaw with a new powerful 700 watt motor
- 6-different speed settings for a better cutting control
- Better ergonomic design with integrated soft-grip
- Dust extraction port
- Dust blower keeps cut line clear for accuracy
- Supplied with a 4m cable, blade, anti-splitering guard and dust cap



Specifications

	STEP 100
Power input (W)	**700**
No load stroke rate (spm)	**1000 - 3200**
Mitre capacity (°)	**45°**
Stroke length (mm)	**20**
Pendulum settings	**4**
Max. cutting capacity wood/ steel/ aluminium (mm)	**100/10/20**
Weight (kg)	**2.2**
Supplied in	**–**
Article Number	**4935451001**
EAN Code	**4002395136520**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

TOPHANDLE JIGSAW

STEP 80

Features

- New Tophandle Jigsaw with a new powerful 700 watt motor
- 6-different speed settings for a better cutting control
- Better ergonomic design with integrated soft-grip
- Dust extraction port
- Dust blower keeps cut line clear for accuracy
- Supplied with a 4m cable, blade, anti-splitering guard and dust cap



Specifications

	STEP 80
Power input (W)	**700**
No load stroke rate (spm)	**1000 - 3200**
Mitre capacity (°)	**45°**
Stroke length (mm)	**20**
Pendulum settings	**4**
Max. cutting capacity wood/ steel/ aluminium (mm)	**80/10/20**
Weight (kg)	**2.2**
Article Number	**4935451002**
EAN Code	**4002395136537**



PALM JIGSAW

PST 500 X


Features

- Powerful 440 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- LED light for cut line visibility
- Pendulum function
- Unique palm design for use in tight spaces and easy handling
- Dust blower keeps cut line clear for accuracy
- Supplied with a clear dust cap, splintering device, 1 saw blade and a 4 m cable



Specifications

	PST 500 X
Power input (W)	**450**
No load stroke rate (spm)	**3700**
Mitre capacity (°)	**45°**
Stroke length (mm)	**15**
Pendulum settings	**1**
Max. cutting capacity wood/ steel/ aluminium (mm)	**40/6/10**
Weight (kg)	**2.3**
Supplied in	**Tool bag**
Article Number	**4935428260**
EAN Code	**4002395194315**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

BODYGRIP JIGSAW

ST 800 XE


Features

- Powerful 705 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 4 – stage pendulum adjustment
- Variable speed electronics for control
- Ergonomic slimline bodygrip design with integrated soft grip
- Dust extraction port
- Dust blower keeps cut line clear for accuracy
- Base plate can be moved backwards for cutting close to edges
- Supplied with a 4 m cable, blade, anti-splintering guard, sliding shoe and a dust cap



Specifications

	ST 800 XE
Power input (W)	**705**
No load stroke rate (spm)	**600 - 2700**
Mitre capacity (°)	**45°**
Stroke length (mm)	**26**
Pendulum settings	**4**
Max. cutting capacity wood/ steel/ aluminium (mm)	**110/10/25**
Weight (kg)	**2.3**
Supplied in	**Kitbox**
Article Number	**4935412950**
EAN Code	**4002395192892**



TOPHANDLE JIGSAW

STEP 1200 BX


Features

- Powerful 600 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 4 – stage pendulum adjustment
- Variable speed electronics for control
- Ergonomic top handle design with integrated soft-grip
- Sawdust blower keeps cutting line clear for accuracy
- Base plate can be moved backwards for sawing close to edges and for precise mitre cuts to 45°
- Supplied with a 4 m cable, blade, anti-splintering guard, sliding shoe, dust cap and a suction adaptor



Specifications

	STEP 1200 BX
Power input (W)	**600**
No load stroke rate (spm)	**500 - 3000**
Mitre capacity (°)	**45°**
Stroke length (mm)	**26**
Pendulum settings	**4**
Max. cutting capacity wood/ steel/ aluminium (mm)	**110/10/30**
Weight (kg)	**2.4**
Supplied in	**Kitbox**
Article Number	**4935412819**
EAN Code	**4002395192694**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

BODYGRIP JIGSAW

STEP 1200 XE


Features

- Powerful 730 watt motor
- Patented FIXTEC system for changing saw blades in seconds
- 4 – stage pendulum adjustment
- Variable speed selection for correct speed to match the material and blade
- Soft start prevents sudden kick back of machine on start up
- Integrated electronics allows constant speed under load
- Ergonomic and very slim body grip design with integrated soft-grip zone
- Dust extraction port
- Sawdust blower keeps cutting line clear for accuracy
- Adjustable dust extraction (front or back) over switch
- Base plate can be moved backwards for cutting close to edges and for precise mitre cuts to 45°
- Supplied with a 4 m cable, 1 saw blade, anti-splintering guard, dust cap and a suction adaptor



Specifications

	STEP 1200 XE
Power input (W)	**730**
No load stroke rate (spm)	**500 - 3000**
Mitre capacity (°)	**45°**
Stroke length (mm)	**26**
Pendulum settings	**4**
Max. cutting capacity wood/ steel/ aluminium (mm)	**135/10/30**
Weight (kg)	**2.4**
Supplied in	**Kitbox**
Article Number	**4935412878**
EAN Code	**4002395192762**



COMBO ROUTER

MF 1400 KE


Features

- 2 routers in one for maximum flexibility in all kinds of application
- Soft start to prevent sudden kickback
- Integrated electronics maintain constant speed under load
- Variable speed electronics for optimum control in a wide range of materials
- Large soft-grip handles for decreased vibration and greater comfort
- Flat motor housing with integrated rubber feet for convenient upside down bit change with spindle lock
- Premium collet and shaft design minimises run out
- Built in LED for unparalleled workplace illumination
- Through table depth adjustment for ultimate convenience
- Supplied with 5 guide bushes, 3 dust extraction adaptors, parallel guide, 2 collects (8/12 mm) 2 keys, oval base, round base and a chip shield



Specifications

	MF 1400 KE
Power input (W)	**1400**
Collet capacity (mm)	**8 / 12**
Plunge capacity (mm)	**64**
No load speed (rpm)	**10.000 - 23.000**
Weight (kg)	**5.7**
Supplied in	**Tool bag**
Article Number	**4935411850**
EAN Code	**4002395193295**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

ROUTER

OF 2050 E

Features

- Powerful 2050 watt motor
- Electronic variable speed control
- Plunge depth set by calibrated dial
- Micro depth adjustment
- 3-stage depth stop lock
- Vertical depth adjustment scales
- Supplied with a 4 m cable, 6/8/12 mm collet, spanner, parallel guide, 4 guide bushes, router bit and dust adaptor



Specifications

	OF 2050 E
Power input (W)	**2050**
Collet capacity (mm)	**6/ 8/ 12**
Plunge capacity (mm)	**66**
No load speed (rpm)	**10,000 - 20,000**
Weight (kg)	**6.2**
Supplied in	**–**
Article Number	**4935403665**
EAN Code	**4002395125869**



PLANER

PL 750


Features

- Powerful 750 watt motor
- Left and right chip ejection for greater convenience
- Heel shoe protects the base, blade and work surface
- 0.2 mm stage depth adjustment setting for greater control and accuracy
- Depth scale indicator
- Supplied with 2 blades, edge guide, dust bag and a key



Specifications

	PL 750
Power input (W)	**750**
No load speed (rpm)	**17,000**
Max. cutting depth (mm)	**2**
Cutting width (mm)	**82**
Rebate depth (mm)	**12**
Weight (kg)	**2.9**
Supplied in	**–**
Article Number	**4935419140**
EAN Code	**4002395130481**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

RECIPROCATING SAW

US 900 XE


Features

- Powerful 900 W motor, for fast cuts in various materials
- Pendulum function with 19 mm stroke length, for more powerful and faster cutting progress
- Speed regulation from 0 – 3500 spm, especially needed for heat-sensitive materials
- FIXTEC - for fast and easy keyless blade change
- 24 % lighter than other saws, for better work control
- One hand blade insertion
- Soft grip handle, for better ergonomics
- Supplied with a 4 m cable and 2 blades



Specifications

	US 900 XE
Power input (W)	**900**
No load stroke rate (spm)	**0 - 3500**
Stroke length (mm)	**19**
Weight (kg)	**2.9**
Supplied in	**Tool bag**
Article Number	**4935419610**
EAN Code	**4002395193806**



RECIPROCATING SAW

US 1300 XE


Features

- Powerful 1300 watt motor
- FIXTEC blade clamp for fast and easy blade changes
- Variable speed switch for increased cutting control and efficiency
- Adjustable shoe for prolonged blade life
- Ergonomic soft grip handle design for comfort
- Blades can be turned 180° for various applications
- Supplied with a 4 m cable and 2 blades



Specifications

	US 1300 XE
Power input (W)	**1300**
No load stroke rate (spm)	**0 - 2800**
Stroke length (mm)	**30**
Weight (kg)	**3.8**
Supplied in	**Kitbox**
Article Number	**4935413235**
EAN Code	**4002395197675**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

PALM DELTA SANDER

FDS 140

Features

- Extremely compact 260 watt sheet sander
- Ideal for working in confined spaces and over head
- Delta base for sanding in corners
- Hook & loop and large release tabs for convenient paper changing
- Magnesium base for more stability and less vibration
- Dust extraction with dust bag or absorption system
- Soft-grip on handle
- Supplied with a 4 m cable, 3 sheets (60, 80, 120 grit) sanding pad, delta base plate and dust bag



Specifications

	FDS 140
Power input (W)	**260**
No load speed (rpm)	**14.000**
Oscillation rate (opm)	**20.000**
Oscillation diameter (mm)	**1.6**
Sanding pad size (mm)	**115 x 140**
Weight (kg)	**1.5**
Supplied in	**–**
Article Number	**4935416090**
EAN Code	**4002395129768**



1/2 SHEET SANDER

FS 280

Features

- Powerful 500 watt motor
- Variable speed for optimum control
- Convenient hook & loop paper fastening
- Dust extraction, with dustbag or absorption system
- Supplied with a 4 m cable, 3 sheets (80, 120, 240 grit) sanding pads, dust bag and a pommel handle



Specifications

	FS 280
Power input (W)	**500**
Oscillation rate (opm)	**14.000 - 26.000**
Sanding pad size (mm)	**115 x 280**
Weight (kg)	**3.0**
Supplied in	**–**
Article Number	**4935419280**
EAN Code	**4002395133116**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

RANDOM ORBIT SANDER

EX 150 ES

Features

- Dual orbits for control of material removal
- Variable speed for optimum control
- Soft start and pad brake for a gauge free workpiece
- Through-body sealed slide switch for reliability and ease of use
- Convenient hook & loop paper fastening
- Dust extraction, with dust bag or absorption system
- Diecast construction for strength and durability
- Micro texture grip for perfect handling
- Supplied with a 4 m cable, 3 x 80 grit sanding pads, dust bag and a pommel handle



Specifications

	EX 150 ES
Power input (W)	**440**
No load speed (rpm)	**4000-10,000**
Oscillation rate (opm)	**8000-20,000**
Oscillation diameter (mm)	**3.2/ 6.4**
Sanding pad size (mm)	**150**
Weight (kg)	**2.8**
Supplied in	**–**
Article Number	**4935443290**
EAN Code	**4002395135479**



RANDOM ORBIT SANDER

EX 125 ES

Features

- Ergonomic & compact 300 watt random orbit sander
- Ideal for working in confined spaces and over head
- Variable speed for optimum control
- Pad brake control: pad brake for a gauge free workpiece
- Convenient hook & loop paper fastening
- Very efficient dust extraction over 8 holes in the base plate
- Dust extraction, with dust bag or absorption system
- Soft-grip on handle
- Supplied with a 4 m cable, sheets (80, 120, 180 grit) sanding pads and a dust bag



Specifications

	EX 125 ES
Power input (W)	**300**
No load speed (rpm)	**7000 - 12,000**
Oscillation rate (opm)	**14.000 - 24.000**
Oscillation diameter (mm)	**2,4**
Sanding pad size (mm)	**125**
Weight (kg)	**1.7**
Supplied in	**–**
Article Number	**4935416100**
EAN Code	**4002395129799**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

BELT SANDER

HBS 1000 E

Features

- Powerful 1010 watt motor
- Electronic speed for control and optimum results
- Clamping lever for easy, tool free changing of sanding belt
- Externally accessible brushes for easy replacement
- Control wheel for precise adjustment of sanding belt
- Compact design, ideal for sanding close to edges
- Die-cast construction for high strength and durability
- Dust extraction, with dust bag or absorption system
- Supplied with a 4 m cable, 1 x 80 grit sanding belt, dust bag and a pommel handle



Specifications

	HBS 1000 E
Power input (W)	**1010**
Belt length (mm)	**533**
Belt speed (rpm)	**240 - 450**
Sanding surface (mm)	**75 x 145**
Belt width (mm)	**75**
Weight (kg)	**5.1**
Supplied in	**Kitbox**
Article Number	**4935413205**
EAN Code	**4002395197613**



BELT SANDER

BBSE 1100


Features

- Powerful 1100 watt motor
- Extra-large sanding surface 100 x 140 mm
- Full-wave electronics with pre-selection of belt speed
- Control wheel for precise adjustment of belt alignment
- Dust extraction, with dust bag or absorption system
- Supplied with a 4 m cable, 1 x 100 grit sanding belt and a dust bag



Specifications

	BBSE 1100
Power input (W)	**1100**
Belt speed (rpm)	**230 - 400**
Belt length (mm)	**560**
Belt width (mm)	**100**
Sanding surface (mm)	**100 x 140**
Weight (kg)	**5.0**
Supplied in	**–**
Article Number	**4935413530**
EAN Code	**4002395199037**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

HEAT GUN

HG 560

Features

- 2 temperature adjustment modes 300° / 560°
- 253 - 420 l/min
- Reinforced fan for continuous use
- Extremely light product - 0.85 kg
- Rubber overmold on back end for safe stationary use



Specifications

	HG 560 D
Power input (W)	**1500**
Air flow (l/min)	**253 - 420**
Temperature range (°C)	**300 / 560**
Weight (kg)	**0.85**
Supplied in	**–**
Article Number	**4935441015**
EAN Code	**4002395134991**

1500 W | 0.85kg

HEAT GUN

HG 600

Features

- Electronic precise adjustment for temp from 90° up to 600°
- 345 - 434 l/min
- Reinforced fan for continuous use
- Extremely light product - 0.9 kg
- Rubber overmold on back end for safe stationary use



Specifications

	HG 600 V	HG 600 VK
Power input (W)	**2000**	**2000**
Air flow (l/min)	**345 - 434**	**345 - 434**
Temperature range (°C)	**90 - 600**	**90 - 600**
Weight (kg)	**0.9**	**0.9**
Supplied in	**–**	**Kitbox**
Article Number	**4935441025**	**4935441035**
EAN Code	**4002395135011**	**4002395135035**

2000 W | 0.9kg

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

TABLESAW

TS 250 K

Features

- Powerful 1800 watt motor
- 4800 rpm for effortless accurate cutting
- 90 mm cutting depth (62 mm at 45°)
- Dual clamping parallel fence for high stability and accuracy
- Overload protection ensures durability
- Soft start
- Integrated table side extension up to 645 mm gives huge cutting capacity
- Collapsible stand with wheels and height adjustment for easy transportation and portability
- On board storage for all tools and spare blades
- Supplied with a 36 tooth TCT blade, rip fence, mitre gauge and fence, collapsible stand with wheels, push stick and a wrench



Specifications

	TS 250 K
Power input (W)	**1800**
Blade diameter (mm)	**254 x 30**
No load speed (rpm)	**4800**
Mitre capacity (°)	**45°**
Max. cutting depth 45/90° (mm)	**62/90**
Weight (kg)	**41.0**
Supplied in	**–**
Article Number	**4935419265**
EAN Code	**4002395133093**

1800 W | 41 kg

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

SLIDING COMPOUND MITRE SAW

PS 305 DG


Features

- Powerful 1800 watt motor delivers 4400 rpm
- Large cutting capacities include a massive maximum crosscut of 343 x 111 mm at 90°
- Double bevel 0–47° left or right
- Mitres 60° left or right, perfect for awkward mitres
- Rugged cast construction with huge table area
- Cam operated mitre lock for fast angle adjustment
- Supplied with a 60 tooth 305 mm blade



Specifications

	PS 305DG
Power input (W)	**1800**
Blade diameter (mm)	**305**
No load speed (rpm)	**4400**
Mitre capacity left (°)	**60**
Mitre capacity right (°)	**60**
Max. cutting depth (mm)	**111**
Mitre saw capacity 90° (mm)	**343**
Weight (kg)	**31.0**
Supplied in	**–**
Article Number	**4935411570**
EAN Code	**4002395126002**



SLIDE MITRE SAW

PS 216 L


Features

- Internal fan that removes 80% of the dust
- Cut line visibility - Adjustable LED and laser
- Blade depth adjustment: Allows for trenching applications
- Mitre lock with detent plate
- Mitre: 50° left or right
- Powerful 1500 watt motor delivers 5.000 RPM
- Supplied with a 48 tooth blade, clamp, hose, bucket cover and a dust bag



Specifications

	PS 216 L
Power input (W)	**1500**
Blade diameter (mm)	**216**
No load speed (rpm)	**5000**
Mitre capacity left (°)	**50**
Mitre capacity right (°)	**50**
Max. cutting depth (mm)	**65**
Mitre saw capacity 90° (mm)	**65 x 305**
Max. cutting capacity 0 mitre/ 90 bevel [mm]	**65 x 305**
Max. cutting capacity 45° mitre/ 90° bevel (mm)	**65 x 215**
Max. cutting capacity 0 mitre/ 45 bevel [mm]	**36 x 305**
Max. cutting capacity 45° mitre/ 45° bevel (mm)	**36 x 215**
Weight (kg)	**16.5**
Supplied in	–
Article Number	**4935440650**
EAN Code	**4002395134656**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

SLIDE MITRE SAW

PS 254 L


Features

- Internal fan that removes 80% of the dust
- Cut line visibility - Adjustable LED and laser
- Blade depth adjustment. Allows for trenching application
- Mitre lock with detent plate. Mitre: 50 left or right
- Powerful 2.000 watt motor delivers 5.000 RPM
- Supplied with a 48 tooth blade, clamp, hose, bucket cover and a dust bag



Specifications

	PS 254 L
Power input (W)	**2000**
Blade diameter (mm)	**254**
No load speed (rpm)	**4500**
Mitre capacity left (°)	**50**
Mitre capacity right (°)	**50**
Max. cutting depth (mm)	**90**
Mitre saw capacity 90° (mm)	**305**
Max. cutting capacity 0 mitre/ 90 bevel [mm]	**90 x 305**
Max. cutting capacity 45° mitre/ 90° bevel (mm)	**90 x 215**
Max. cutting capacity 0 mitre/ 45 bevel [mm]	**50 x 305**
Max. cutting capacity 45° mitre/ 45° bevel (mm)	**50 x 215**
Weight (kg)	**19.5**
Supplied in	**–**
Article Number	**4935440670**
EAN Code	**4002395134687**



UNIVERSAL MITRE SAW LEGSTAND

PSU 1000

Features

- Extendable to 2,3 m
- Quick release brackets
- Adjustable leg
- Low weight 14 kg
- 180 Kg maximum load capacity



Specifications

	PSU1000
Extendable up to (mm)	**2.3**
Bearing force (kg)	**180**
Weight (kg)	**14.0**
Article Number	**4935440850**
EAN Code	**4002395134892**

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

DUST EXTRACTOR

AP2-200 ELCP

Features

- Clear Press filters cleaning system
- "L" industry dust class
- PET Filter, with fleece filter bag
- Wet and dry cleaning
- Wet overfill protection
- Click system easy to change accessories
- Fleece double wall filter bag and disposal bag



Specifications

	AP2-200 ELCP
Power input (W)	**1000**
Air volume (l/min)	**3600**
Max. vacuum (mbar)	**210**
Container capacity (ml)	**20**
Hose diameter (mm)	**32**
Hose length (m)	**3.5**
Weight (kg)	**7.5**
Article Number	**4935447460**
EAN Code	**4002395294190**



For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

DUST BUSTING POWER!!!

Clear-press filter cleaning system explained:



AP 300 ECP

Description	Article Number	EAN Code
Filter cartridge.	4932352304	4002395369638
Filter bags.	4932352307	4002395369669
Extraction hose, anti static. 4 m long 36 mm diameter with tool adaptor.	4932352311	4002395369706
Extraction hose. 3.5 m long 32 mm diameter with tool adaptor.	4932352312	4002395369713

AP2-200 ELCP

Description	Article Number	EAN Code
Filter cartridge.	4932352303	4002395369621
Filter bags: 5 pcs.	4932352306	4002395369652
Extraction hose. 3.5 m long 32 mm diameter with tool adaptor.	4932352312	4002395369713

For further technical specifications, including noise and vibration data, please visit our website: www.aeg-powertools.com

ACCESSORIES RANGE

WHERE POWER MEETS PERFORMANCE

AEG POWERTOOLS offer a complete range of accessories for the professional user. From drill bits to saw blades all these accessories offer reliability ease of use and performance.

AEG POWERTOOLS



BATTERIES

18 V







	L1850R	L1840R	L1830R	L1820R	L1815G
Battery type	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	5.0	4.0	3.0	2.0	1.5
Charger compatibility	AL 1218G,AL 9618	AL 1218G,AL 9618	AL 9618,BL 1218	AL 9618,BL 1218	AL 9618,BL 1218
Article Number	**4932451630**	**4932430170**	**4932352655**	**4932430169**	**4932459425**
EAN Code	4002395140978	4002395378319	4002395373130	4002395378302	4058546010867

14.4 V







	L1430R GEN II	L1420R	L1415R	L1420 G3	L1415 G3
Battery type	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	3.0	2.0	1.5	2.0	1.5
Charger compatibility	AL 9618,BL 1218,AL 1218G	AL 9618,BL 1218,AL 1218G	AL 9618,BL 1218,AL 1218G	AL 1214 G3	AL 1214 G3
Article Number	**4932352657**	**4932430167**	**4932352656**	**4932451097**	**4932451096**
EAN Code	4002395373154	4002395378289	4002395373147	4002395811236	4002395811229

12 V







	L1260	L1240	L1230	L1220	L1215
Battery type	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	6.0	4.0	3.0	2.0	1.5
Charger compatibility	LL 1230	LL 1230	LL 1230	LL 1230	LL 1230
Article Number	**4932459180**	**4932430166**	**4932352824**	**4932430165**	**4932352658**
EAN Code	4002395288557	4002395378272	4002395288557	4002395378265	4002395373161

12 V





	L1215 G3	L1220 G3	L1215R
Battery type	Li-ion	Li-ion	Li-ion
Battery pack capacity (Ah)	1.5	2.0	1.5
Charger compatibility	-	-	AL 9618,BL 1218
Article Number	**4932430365**	**4932451094**	**4932451095**
EAN Code	4002395380268	4002395811205	4002395811212

3.6 V



SL 3.6
Li-ion
1.5
LA 036
4932352969
4002395376278

CHARGERS

	Battery type	Charging range	Charging time	Article Number	EAN Code
AL1214G	Li-ion, NiCd, NiMH	12 - 14.4 V	60 min	**4932352481**	4002395371402
AL1218G	Li-ion, NiCd, NiMH	12 - 18 V	60 min	**4932352528**	4002395371860
BL 1218 GEN II	Li-ion, NiCd, NiMH	12 - 18 V	30 min	**4932352659**	4002395373178
AL1214 G3	Li-ion	12 - 14 v	30 min	**4932451098**	4002395811243
LL1230	Li-ion	12 V	30 min	**4932352096**	4002395367498
LA 036	Li-ion, NiCd, NiMH	3.6 V	30 min	**4932352097**	4002395367504

POWER SET SDS-PLUS DRILL BITS

- High quality 2 cutter carbide top with 130° tip angle
- The carbide tip is set deeper into the head for a more precise fit and better durability
- 2 flute geometry for rapid material removal
- Surface treated flute eliminates binging for faster drilling and high abrasion resistance
- High quality robust and compact power set with secure lock
- Made in Germany

	Article Number	EAN Code
Counter display (12 sets) SDS-Plus	**4932352315**	4002395369744
Single Power Set SDS-Plus Drill Bits (8pcs) with Ø 5/6/8 x 110 mm and Ø 6 (2pcs)/8/10/12 x 160 mm	**4932352236**	4002395368952



POWER SET STONE DRILL BITS

- Extra sharp diamond ground carbide tip with 130 degree angle
- Polished silver and black finish eliminates binding for faster cutting and material removal
- Made from special alloy steel for best precision and robustness
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6 sets) Stone	**4932352238**	4002395368976
Single Power Set Stone Drill Bits (10pcs) Contents: Ø 4/5/5.5/6 (2pcs)/7/8 (2pcs)/9/10 mm	**4932352239**	4002395368983



POWER SET HSS-R (DIN 338) METAL DRILL BITS

- HSS-Rollforged metal drill bits manufactured according to DIN 338
- Oxide coating for improved swarf removal
- Normal point cutting tip with 118 degree angle
- Standard type N flute design
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6 x sets) HSS-R	**4932352240**	4002395368990
Single Power Set HSS-R Drill Bits (19pcs) Contents: Ø 2 x 49 mm / Ø 2.5 (2pcs) x 57 mm/ Ø 3 (2pcs) x 61 mm/ Ø 3.5 (2pcs) x 70 mm/ Ø 4 (2pcs) x 75 mm/ Ø 4.5 (2pcs) x 80 mm/ Ø 5 (2pcs) x 86 mm/ Ø 6 (2pcs) x 93 mm/ Ø 7 x 109 mm/ Ø 8 x 117 mm/ Ø 9 x 125 mm/ Ø 10 x 133 mm	**4932352241**	4002395369003



POWER SET HSS-G (DIN 338) METAL DRILL BITS

- Fully ground drill bits according to DIN 338
- Standard tip for cutting geometry with 118° angle
- Standard type N flute design for faster chip removal and faster cutting
- High quality robust and compact powere set with secure lock

	Article Number	EAN Code
Counter display (6 x sets) HSS-G	**4932352242**	4002395369010
Single Power Set HSS-G Drill Bits (19pcs) Contents: Ø 2 x 49 mm / Ø 2.5 (2pcs) x 57 mm/ Ø 3 (2pcs) x 61 mm/ Ø 3.5 (2pcs) x 70 mm/ Ø 4 (2pcs) x 75 mm/ Ø 4.5 (2pcs) x 80 mm/ Ø 5 (2pcs) x 86 mm/ Ø 6 (2pcs) x 93 mm/ Ø 7 x 109 mm/ Ø 8 x 117 mm/ Ø 9 x 125 mm/ Ø 10 x 133 mm	**4932352243**	4002395369027



POWER SET HSS-G TIN DRILL BITS

- Metal drill bits ground from high speed steel according to DIN 338
- Normal point cutting tip with 118° angle
- Standard type N flute design
- Titanium nitride coating increases cutting speed by 50% and lifetime by 300%
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6 x sets) HSS-G TiN	**4932352244**	4002395369034
Single Power Set HSS-G TiN Drill Bits (19pcs) Contents: Ø 2 x 49 mm / Ø 2.5 (2pcs) x 57 mm/ Ø 3 (2pcs) x 61 mm/ Ø 3.5 (2pcs) x 70 mm/ Ø 4 (2pcs) x 75 mm/ Ø 4.5 (2pcs) x 80 mm/ Ø 5 (2pcs) x 86 mm/ Ø 6 (2pcs) x 93 mm/ Ø 7 x 109 mm/ Ø 8 x 117 mm/ Ø 9 x 125 mm/ Ø 10 x 133 mm	**4932352245**	4002395369041



POWER SET LIP & SPUR WOOD DRILL BITS

- Manufactured from chrome vanadium steel according to DIN 7487 E
- Center point guarantees precise positioning
- Sharpened shoulders provide for clean holes avoiding splintering
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6x sets) Lip and Spur Wood	**4932352246**	4002395369058
Single Power Set Lip & Spur Wood Drills Bits (8 pcs) Contents: Ø 3 x 60 mm / Ø 4 x 75 mm/ Ø 5 x 85 mm/ Ø 6 x 97 mm/ Ø 7 x 104 mm/ Ø 8 x 117 mm/ Ø 9 x 120 mm/ Ø 10 x 133 mm	**4932352247**	4002395369065



POWER SET HSS-G (DIN 338) METAL DRILL BITS & SCREWDRIVING BITS

- Metal drill bits ground from high speed steel according to DIN 338
- Normal point cutting tip with 118° angle
- Standard type N flute design
- Screwdriving bits are milled from S2 steel
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter Display (6 x sets) HSS-G & Screwdriving Bits	**4932352248**	4002395369072
Single Power Set HSS-G & Screwdriving Bits (35pcs) Contents: Ø 2/ 2.5/ 3/ 3.2/ 3.5/ 4/ 4.5/ 6/ 8/ 10mm 25mm length: PH1 (2pcs)/ PH2 (2pcs)/ PH3 (2pcs)/ PZ1 (2pcs)/ PZ2 (2pcs)/ PZ3 (2pcs)/ TX10 (2pcs)/ TX15 (2pcs)/ TX20 (2pcs)/ TX25 (2pcs)/ TX30/ TX40 50mm length: PH2/ PZ2 ¼˝ Hex magnetic bit holder	**4932352249**	4002395369089



POWER SET JIGSAW BLADES FOR WOOD & METAL

- Wood applications:
- T144D - Fast cutting
- T101B - Very clean, splinter free cutting
- Metal applications:
- T118A - Cutting of thin sheet material Ø 1.5-4 mm
- T118B - cutting of thicker material 3-6 mm
- High quality robust and compact power set with secure lock

	Article Number	EAN Code
Counter display (6 x sets) Jigsaw Blades	**4932352252**	4002395369119
Power Set 50pcs - jigsaw blades for wood and metal Contents: 10 x T 144 D/ 10 x T 101 B/ 15 x T 118 A/ 15 x T 188 B	**4932352253**	4002395369126



POWER SET SCREWDRIVING BITS

- COLDfire® is a special hardening treatment for making metal stronger, tougher and more durable. This cryogenic process is a one-time permanent treatment affecting the entire screwdriving bit and it is not just a surface coating. The cryogenic process consists of two steps, firstly the bit is hardened by heating it up to 870° and then freezing the bit down to -148° using a dry nitrogen atmosphere. The result of this process is a bit with exceptional durability
- + 40% stronger - bit tips hold their form and will accept higher torque forces
- + 45% longer life - over the lifetime of a bit one can expect to drive 45% more screws

COLDfire® Cryogenically Treated

	Article Number	EAN Code
Counter display (6x sets) Screwdriving Bits	**4932352254**	4002395369133
Single Power Set Screwdriving Bits (40pcs) Contents: 25mm length: PH1 / PH2 (2pcs)/ PH3 / PZ1 (2pcs)/ PZ2 (2pcs)/ PZ3 (2pcs)/ TX6/ TX7 / TX 8/ TX9/ TX10 (2pcs)/ TX15 (2pcs)/ TX20 (2pcs)/ TX25 (2pcs)/ TX30/ TX40/ Hex 3/ Hex 4/ Hex 5/ Hex 6/ SL 0.6 x 4.5/ SL 0.8 x 5.5/ SL 1.0 x 5.5/ SL 1.2 x 6.5 50mm length: PH1/ PH2/ PZ1/ PZ2/ TX10/ TX15/ TX20 ¼˝ Hex magnetic bit holder	**4932352255**	4002395369140



PROFI-BOX HSS-R (DIN 338) METAL DRILL BITS

- HSS-Rollforged metal drill bits manufactured according to DIN 338
- 118° cutting tip angle
- Oxide coating for improved swarf removal
- Robust metal box

	Article Number	EAN Code
Counter display (10 x sets) HSS-R	**4932352460**	4002395371198
Single Profi-Box HSS-R Drill Bits (19pcs) Contents: Ø 1-10 mm in 0.5 mm incrementals	**4932352459**	4002395371181



MAXI-MIX DRILL BITS


- Contains a mixed assortment of drill bits for drilling wood, metal and masonry/stone (18 pieces in total)
- Robust metal box

	Article Number	EAN Code
Counter display (10 x sets) Maxi-Mix Drill Bits	**4932352464**	4002395371235
Single Maxi-Mix Drill Bits (18pcs) Contents: Stone drill bits: Ø 3/4/5/6/8/10 mm HSS-R drill bits: Ø 3/4/5/6/8/10 mm Wood drill bits: Ø 3/4/5/6/8/10 mm	**4932352463**	4002395371228



WB1 - SCREWDRIVER ANGLE ATTACHMENT WITH 10 SCREWDRIVING BITS

- Contents: WB1 and crewdriving bits 25 mm PH1/ PH2/ PZ1/ PZ2 (2pcs)/ PZ3/ TX15/ TX20/ Hex 4/ Hex 5
- Being only 30 mm high it is ideally suited to working in confined and limited spaces
- Fits to all machines. The ¼˝ Hex shank fits directly into the chuck preventing slippage
- Magnetic ¼˝ Hex reception. Accepts ¼˝ Hex screwdriving bits
- Adjustable to working situation. 360° variable thumb lever for extra grip
- Industrial quality up to 11 Nm torque and 400 min-1
- Tough gears made of special hardened steel









	Article Number	EAN Code
Counter display (10 x WB1 Sets)	**4932430174**	4002395378357
Single WB1 Contents: Screwdriver angle attachment with 10 screwdriving bits	**4932430173**	4002395378340

MAXI-BIT SCREWDRIVING SET

	Article Number	EAN Code
Counter display (20 x sets) & Screwdriving Bits	**4932399494**	4002395361144
Single Maxi-Bit Set Screwdriving Bits (10pcs) Contents: SL 0.6 x 4.5/ SL 0.8 x 5.5/ SL 1.5 x 6.5/ PH1/ PH2/ PH3/ PZ1/ PZ2/ PZ3 ¼" Hex magnetic bit holder	**4932399493**	4002395361151



PROFI-BIT SCREWDRIVING SET

	Article Number	EAN Code
Counter Display (17 x Sets) Screwdriving Bits	**4932399496**	4002395361168
Single Profi-Bit Set Screwdriving Bits (17pcs) Contents: SL 0.8 x 5.5/ SL 1.2 x 6.5/ PH1/ PH2 (2pcs)/ PH3/ PZ1/ PZ2 (2pcs)/ PZ3/ TX10/ TX15/ TX20/ TX25/ TX30/ TX40 ¼" Hex magnetic bit holder	**4932399495**	4002395361175



FIXTEC NUTS

- FIXTEC: Disc changing in seconds, no extra tools required
- 12 seconds from removing the worn disc to fixing a new disc
- Only 8 mm thin, enabling more surface of sic on the material
- Compatible to all manufactures angle grinders up to 150 mm with standard M14 spindle thread
- With integrated keyholes, for removal of the nut with a standard pin spanner in the event of the nut becoming too tight






	Article Number	EAN Code
Counter display (12 x FIXTEC Nut)	**4932358936**	4002395326693
Single FIXTEC Nut	**4932358225**	4002395325528

SDS-PLUS DRILL BITS - 2 CUT / 10 PIECE POWER PACKS

- High quality 2 cutter carbide tip with 130 degree tip angle
- The carbide tip is set deeper into the head for a more precise fit and better durability
- 2 flute geometry for rapid material removal
- Surface treated eliminates binding for faster drilling and high abrasion resistance
- Made in Germany


Ø (mm)	Total length A (mm)	Working length B (mm)	Quantity	Article Number	EAN Code
5	110	50	10	**4932352256**	4002395369157
5.5	110	50	10	**4932352257**	4002395369164
6	110	50	10	**4932352258**	4002395369171
6	160	100	10	**4932352259**	4002395369188
7	160	100	10	**4932352260**	4002395369195
8	110	50	10	**4932352261**	4002395369201
8	160	100	10	**4932352262**	4002395369218
8	210	150	10	**4932352263**	4002395369225
10	160	100	10	**4932352264**	4002395369232
10	210	150	10	**4932352265**	4002395369249
10	260	200	10	**4932352266**	4002395369256
12	160	100	10	**4932352267**	4002395369263
12	210	150	10	**4932352268**	4002395369270
Single Power Set SDS-Plus Drill Bits (8pcs) with Ø 5/6/8 x 110 mm and Ø 6 (2pcs)/8/10/12 x 160 mm				**4932352236**	**4002395368952**
SDS-plus Starter Set with Ø 6/8/10 x 160mm, point chisel and flat chisel				**4932352653**	**4002395373116**






SDS MAX DRILLS - 2 CUT

Ø (mm)	Total length A (mm)	Working length B (mm)	Quantity	Article Number	EAN Code
16	540	400	1	**4932352687**	4002395373451
18	540	400	1	**4932352688**	4002395373468
20	520	400	1	**4932352689**	4002395373475
22	520	400	1	**4932352690**	4002395373482
25	520	400	1	**4932352691**	4002395373499
28	570	450	1	**4932352692**	4002395373505
30	570	450	1	**4932352693**	4002395373512
32	570	450	1	**4932352694**	4002395373529




SDS-PLUS CHISELS

Description	Length (mm)	Width (mm)	Quantity	Article Number	EAN Code
Point chisel	200	-	1	**4932352269**	4002395369287
Flat chisel	200	20	1	**4932352270**	4002395369294
Wide chisel	200	35	1	**4932352271**	4002395369300
Set of 3 SDS-plus chisels with 1 pointed, 1 flat, 1 wide chisel				**4932352272**	4002395369317



SDS MAX CHISELS

Description	Length (mm)	Width (mm)	Quantity	Article Number	EAN Code
Point chisel	400	-	1	**4932352685**	4002395373437
Flat chisel	400	25	1	**4932352686**	4002395373444



ROUTER BIT SET

Description	Quantity	Article Number	EAN Code
8 mm shank	12	**4932354236**	4002395320639



MULTIMIX SET 75 PCS - DRILLING AND SCREWDRIVING SET

	Article Number	EAN Code
Contents: Scewdriving bits 25 mm length 1 x PH 0/ 1 x PH 1/ 3 x PH 2/ 1 x PH 3/ 1 x PZ 0/ 1 xPZ 1/ 3 x PZ 2/ 1 x PZ 3/ 1 x SQ 1/ 1 x SQ 2/ 1 x SQ 3/ 1 x TX 10/ 1 x TX 15/ 1 x TX 20/ 1 x TX 25/ 1 x TX 30/ 1 x TX 40/ 1 x Hex 4/ 1 x Hex 5/ 1 x Hex 6/ 1 x SL 3/ 1 x SL 4/ 1 x SL 4/ 1 x SL 5/ 1 x SL 6/ 1 x SL7/ 1 x SL 8 ¼" Hex magnetic bit holder Screwdriving bits 50 mm length 1 x PH 2/ 1 x PZ 2/ 1 x SL 4/ 1 x SL 6/ 1 x SL8 Nut drivers 1 x 5 mm/ 1 x 6 mm/ 1 x 7 mm/ 1 x 8 mm/ 1 x 10 mm/ 1 x 12 mm Metal drill bits HSS-R DIN 338 2 x 1 mm/ 1 x 1.5 mm/ 1 x 2 mm/ 1 x 2.5 mm/ 1 x 3 mm/ 1 x 3.5 mm/ 1 x 4 mm Lip & Spur wood drill bits 3 x 3 mm/ 3 x 4 mm/ 2 x 5 mm/ 1 x 6 mm/ 1 x 7 mm/ 1 x 8 mm/ 1 x 10 mm/ Countersink with ¼" Hex reception 45° Masonry drill bits 1 x 4 mm/ 1 x 5 mm/ 1 x 5.5 mm/ 3 x 6 mm/ 1 x 6.5 mm/ 2 x 7 mm/ 1 x 8 mm/ 1 x 10 mm/ 1 x 12 mm	**4932352670**	4002395373284



DRILL AND DRIVE 50PCS SET

	Article Number	EAN Code
HSS-Ground Metal Drill Bits 1 x 2 mm/ 1 x 2.5 mm/ 1 x 3 mm/ 1 x 3.5 mm/ 1 x 4 mm/ 1 x 4.5 mm/ 1 x 5 mm/ 1 x 5.5 mm/ 1 x 6 mm Stone Drill Bits 1 x 5 mm/ 1 x 5.5 mm/ 1 x 6 mm/ 1 x 7 mm/ 1 x 8 mm/ 1 x 8 mm/ 1 x 9 mm/ 1 x 10 mm Nut Drivers 1 x Hex 6/ 1 x Hex 8/ 1 x Hex 10 Lip & Spur Wood Drill Bits 1 x 4 mm/ 1 x 5 mm/ 1 x 6 mm/ 1 x 7 mm/ 1 x 8 mm Flat Boring Bits 1 x 16 mm/ 1 x 18 mm Screwdriving bits 25 mm bits (1 of each) SL 0.6 x 4.5/ SL 0.8 x 5.5/ PH 1/ PH 2/ PH 3/ PZ 1/ PZ 2/ PZ 3/ TX 10/ TX 15/ TX 20/ TX 25/ TX 30/ TX 35/ TX 40/ Hex 4/ Hex 5/ Hex 6 50 mm bits PH 1/ PZ 2 Magnetic bit holder	**4932430411**	4002395380725



METAL DRILL BITS HSS-G COBALT (DIN 338)

- Metal drill bits ground from solid extremely heat resistant cobalt-alloyed high speed steel produced according to DIN 338. Polished finish. Split point shaped cutting tip with 135° angle for improved centering - no center punched required.
- 5% Cobalt content. Withstands high drilling heat.
- Type N flute normal angle.
- Suitable for drilling high alloy content steels and metals with tensile strengths of over 1000 N/mm like heat and acid proof steels and stainless steel.
- Colour: bronze.


Ø (mm)	Total length A (mm)	Working length B (mm)	Quantity	Article Number	EAN Code
2.0	49	24	2	**4932430416**	4002395380770
3.0	61	33	2	**4932430417**	4002395380787
3.2	65	36	2	**4932430418**	4002395380794
4.0	75	43	2	**4932430419**	4002395380800
4.8	86	52	1	**4932430420**	4002395380817
5.0	86	52	1	**4932430421**	4002395380824
6.0	93	57	1	**4932430422**	4002395380831
7.0	109	69	1	**4932430423**	4002395380848
8.0	117	75	1	**4932430424**	4002395380855
9.0	125	81	1	**4932430425**	4002395380862
10.0	133	87	1	**4932430426**	4002395380879
11.0	142	94	1	**4932430427**	4002395380886
12.0	151	101	1	**4932430428**	4002395380893
13.0	151	101	1	**4932430429**	4002395380909



MASONRY DRILL BITS

- Carbide tip with diamond ground cutting edges with 130° angle - For drilling in brick and aerated conret blocks

Ø (mm)	Total length A (mm)	Working length B (mm)	Quantity	Article Number	EAN Code
4	75	40	1	**4932363591**	4002395332410
5	85	50	1	**4932363593**	4002395332434
5.5	85	50	1	**4932363595**	4002395332458
6	100	60	1	**4932363597**	4002395332472
6	150	85	1	**4932367032**	4002395333967
7	100	60	1	**4932363599**	4002395332496
8	120	80	1	**4932363600**	4002395332502
8	200	135	1	**4932363612**	4002395332366
10	120	80	1	**4932363602**	4002395332526
10	200	135	1	**4932363613**	4002395332373
12	150	85	1	**4932363604**	4002395332540
Single Power Set Stone Drill Bits (10pcs) Contents: Ø 4/5/5.5/6 (2pcs)/7/8 (2pcs)/9/10 mm				**4932352239**	4002395368983





HIGH PERFORMANCE BI-METAL HOLESAWS / SYSTEM ACCESSORIES

Ø (mm)	Ø (inch)	Article Number	EAN Code
14	9/16	**4932367244**	4002395335947
16	5/8	**4932367245**	4002395335954
19	3/4	**4932367247**	4002395335978
20	25/32	**4932367248**	4002395335985
21	13/16	**4932367249**	4002395335992
22	7/8	**4932367250**	4002395336005
24	15/16	**4932367251**	4002395336012
25	1	**4932367252**	4002395336029
27	1 1/16	**4932367253**	4002395336036
29	1 1/8	**4932367289**	4002395336043
30	1 3/16	**4932367254**	4002395336050
32	1 1/4	**4932367255**	4002395336067
35	1 3/8	**4932367256**	4002395336074
38	1 1/2	**4932367257**	4002395336081
40	1 9/16	**4932367258**	4002395336098
43	1 11/16	**4932367259**	4002395336104
44	1 3/4	**4932367260**	4002395336111
48	1 7/8	**4932367262**	4002395336135
51	2	**4932367263**	4002395336142
54	2 1/8	**4932367265**	4002395336166

Ø (mm)	Ø (inch)	Article Number	EAN Code
57	2 1/4	**4932367266**	4002395336173
60	2 3/8	**4932367267**	4002395336180
64	2 1/2	**4932367268**	4002395336197
65	2 9/16	**4932367269**	4002395336203
68	2 11/16	**4932371580**	4002395345250
70	2 3/4	**4932367271**	4002395336227
73	2 7/8	**4932367272**	4002395336234
76	3	**4932367273**	4002395336241
79	3 1/8	**4932367274**	4002395336258
83	3 1/4	**4932367275**	4002395336265
89	3 1/2	**4932367277**	4002395336289
92	3 5/8	**4932367278**	4002395336296
98	3 7/8	**4932367280**	4002395336319
102	4	**4932367281**	4002395336326
105	4 1/8	**4932367282**	4002395336333
114	4 1/2	**4932367284**	4002395336357
121	4 3/4	**4932367285**	4002395336364
127	5	**4932367286**	4002395336371
152	6	**4932367288**	4002395336395

		Article Number	EAN Code
Arbor Hex 11 -5/8" x 18 - 1pc	FIXTEC arbor 5/8" x 18 11 mm Hex for holesaws Ø 32 - 152 mm	**4932367421**	4002395337422
Arbor Hex 9 -1/2"x20 - 1pc	Arbor **½"** x 20 Light duty arbor **½"** x 20 Hex 9 for holesaws Ø 14 - 30 mm	**4932367422**	4002395337439
Pilot Drill - Long - 1pc	Pilot drill bit long For use with arbor **4932367421**	**4932367423**	4002395337446
Pilot Drill - Short - 1pc	Pilot drill bit short For use with arbor **4932367422**	**4932367424**	4002395337453



JIGSAW BLADES FOR WOOD / PLASTICS / METAL

Blade length (mm)	Tooth pitch (mm)	Ref. No.	Quantity	Description	Max. cutting capacity wood (mm)	Max. cutting capacity laminated chipboard (mm)	Max. cutting capacity parquet laminate (mm)	Max. cutting capacity PVC (mm)	Max. cutting capacity non-ferrous metals (mm)	Max. cutting capacity metal pipe Ø (mm)	Max. cutting capacity aluminium (mm)	Article Number	EAN Code
75	3	T 111 C	5	For rough cutting	5-60			< 40				**4932352144**	4002395367979
50	1.35	T 101 AO	5	For fast, clean, curve cutting	< 20		< 20	<15				**4932352145**	4002395367986
75	4	T 244 D	5	For rough, curve cutting	< 60							**4932352146**	4002395367993
75	4	T 144 D	5	For fast, rough cutting	< 60							**4932352147**	4002395368006
3521 48 AEG													
75	2.5	T 101 B	5	For very clean, splinter free cutting	< 30	< 60		< 30				**4932352148**	4002395368013
3521 49 AEG													
75	4	T 101 D	5	For fast, clean, splinter free cutting	< 60	< 60		< 45				**4932352149**	4002395368020
3521 50 AEG													
55	1.2	T 118 A	5	For thin sheet metal					1.5-4	1.5-4		**4932352150**	4002395368037
3521 51 AEG													
55	2	T 118B	5	Rougher cuts in metal					3-6	3-6	3-10	**4932352151**	4002395368044
				12 piece set in container									
				Suitable for applications in wood, cutting worktops and laminate flooring and metals								**4932373494**	4002395349944
				Power Set 50pcs - jigsaw blades for wood and metal									
				10 x T 144 D/ 10 x T 101 B/ 15 x T 118 A/ 15 x T 188 B								**4932352253**	4002395369126

CIRCULAR SAW BLADES FOR PORTABLE TOOLS

Total length (mm)	Working length (mm)	No. of teeth	Cutting width (kerf) (mm)	Fibre cement board	Chip-board	MDF and fibre-board	Laminated chip-board	Plywood & OSB boards	Plastics	Plaster-board	Non ferrous metals profiles alu	Fine cut	Article Number	EAN Code
127	20	6	1.8	✔						✔		✔	**4932352534**	4002395371921
127	20	40	1.8		✔	✔	✔	✔	✔			✔	**4932352535**	4002395371938
160	20	48	2.2		✔	✔	✔	✔	✔			✔	**4932352868**	4002395375264
160	20	48	2.2						✔		✔	✔	**4932352869**	4002395375271
165	20	24	2.6		✔	✔	✔	✔	✔				**4932430311**	4002395379729
165	20	52	2.8		✔	✔	✔	✔	✔			✔	**4932430312**	4002395379736
184	30	24	1.8		✔	✔	✔	✔	✔			✔	**4932352874**	4002395375325
190	30	24	2.2		✔	✔	✔	✔	✔				**4932430469**	4002395381302
190	30	48	2.8		✔	✔	✔	✔	✔			✔	**4932430470**	4002395381319




CIRCULAR SAW BLADES FOR CORDLESS TOOLS

Total length (mm)	Working length (mm)	No. of teeth	Cutting width (kerf) (mm)	Fibre cement board	Chip-board	MDF and fibre-board	Laminated chip-board	Plywood & OSB boards	Plastics	Plaster-board	Non ferrous metals profiles alu	Fine cut	Article Number	EAN Code
165	15.8	18	1.5		✔	✔	✔	✔	✔			✔	**4932430366**	4002395380275


MITRE SAW BLADES

Total length (mm)	Working length (mm)	No. of teeth	Cutting width (kerf) (mm)	Fibre cement board	Chip-board	MDF and fibre-board	Laminated chip-board	Plywood & OSB boards	Plastics	Plaster-board	Non ferrous metals profiles alu	Fine cut	Article Number	EAN Code
216	30	48	2.4		✔	✔	✔	✔	✔				**4932430721**	4002395383825
254	30	48	3.2		✔	✔	✔	✔	✔				**4932430471**	4002395381326
254	30	80	3.2								✔	✔	**4932430472**	4002395381333
305	30	60	3.2		✔	✔	✔	✔	✔			✔	**4932430473**	4002395381340
305	30	96	3.2								✔	✔	**4932430474**	4002395381357

RECIPROCATING SAW BLADES FOR WOOD / PLASTICS / METAL

Blade length (mm)	Tooth pitch (mm)	Ref. No.	Quantity	Description	Article Number	EAN Code
						
150	2.5	S811H	3	For all woods, nail embedded wood, plaster board 3-100 mm, non-ferrous metals, aluminium 3-10 mm, plastic pipes	**4932318127**	4002395301959
						
150	4.2	S744D	2	For fast scroll cutting 6-100 mm	**4932323801**	4002395304240
						
150	4	S644D	2	For fast cutting of wood and plastic, plunge cutting, 6-100 mm	**4932323800**	4002395304233
						
240	8.5	S1542K	2	Special hardened teeth design, for fast coarse cut, as well for green and fire wood, 20-180mm	**4932323804**	4002395304271
						
300	4.2	S1344D	2	For cutting large timbers and plastic, clean cut, 6-250 mm	**4932323802**	4002395304257
						
150	1.4	S922EF	3	For all metals with a wall thickness between 1.5-4 mm	**4932354792**	4002395324477
						
150	1.8	S922BF	3	For all metals with a wall thickness between 3-10 mm	**4932354789**	4002395324446
						
230	Coarse grit	S1130R	2	For abrasive materials, fibreglass materials (polyesters, expoxies, melamines), cast iron pipes	**4932373386**	4002395348817
						
450	17	-	1	For abrasive materials ie. bricks, soft abrasive blocks	**4932430447**	4002395381081
						
300	4.2	-	1	For cutting of frozen materials	**4932430448**	4002395381098
400	4.2	-	1	For cutting of frozen materials	**4932430449**	4002395381104


ATTACHMENTS

Description	Article Number	EAN Code		
Xtractor - 1pc The ideal dust extraction solution. The Xtractor can be used with all household and industrial dust extraction units with a hose diameter from 26-41 mm.	**4932373501**	4002395351862		


BLADES FOR OSCILLATING TOOL


- Universal blade reception make AEG blades compatible with most popular oscillating tools
- Every blade pack contains both washers

OMNIPRO



Description	Cutting width (mm)	Max. cutting depth (mm)	Quantity	Article Number	EAN Code
① Bi-Metal plunge cutting blade Application: Wood, metal, PVC Plunge cutting in wood/ steel/ copper/ aluminium	28	40	1	**4932430315**	4002395379767
② Plunge cutting blade Application: Wood, PVC Plunge cutting in soft and hard wood, PVC Recess cutting in wood. Flush cutting to length in wood	28	40	1	**4932430316**	4002395379774
③ Plunge cutting blade Application: Wood, PVC Plunge cutting in soft and hard wood, PVC Blade sits flush when cutting in door jambs Recess cutting in wood	9	40	1	**4932430317**	4002395379781
④ Bi-Metal flush cutting blade Application: Wood, metal, PVC Plunge cutting in solid wood Flush cutting in wood Cutting steel. copper/ aluminium/ metal pipes and profiles with small dimensions. Cutting PVC pipes to length	88	20	1	**4932430319**	4002395379804
⑤ Grout removal blade Application: Grout, mortar, soft tiles Routing grout joints on wall and floor tiles	85	20	1	**4932430318**	4002395379798
⑥ 9pc Set 2 x bi-metal plunge cutting blades 2 x plunge cutting blades 28 mm 2 x plunge cutting blades 9 mm 1 x bi-metal flush cutting blade 1 x scraper 1 x grout blade			9	**4932430314**	4002395379750
⑦ Washer Set To fit Bosch keyless oscillating tool To fit Dremel keyless oscillating tool			2	**4931441298**	4002395872541










SANDING ACCESSORIES FOR OSCILLATING TOOL


Description	Grit	Dimensions (mm)	Quantity	Article Number	EAN Code
⑧ Sanding Pad		93x93	1	**4932430320**	4002395379811
10pc Set Sanding paper Hook & Loop 4 x Grit 60 3 x Grit 80 3 x Grit 120 ⑨ Application: Wood, PVC For sanding small areas, e.g. in corners, along edges, in restricted areas and tight spaces, sanding down of surface blemishes.	6080120	93x93	10	**4932430321**	4002395379828



ABRASIVE PAPER- HOOK & LOOP FOR FDS 140

- Perforated sanding discs for wood, metal, paint, lacquer, plaster
- Grit type: fused alumina, half-open
- Artifical resin-bonded on special tear-resistant paper


Grit	Dimensions (mm)	Quantity	Article Number	EAN Code
60	115 x 107	10	**4932352420**	4002395370795
80	115 x 107	10	**4932352421**	4002395370801
120	115 x 107	10	**4932352422**	4002395370818
240	115 x 107	10	**4932352423**	4002395370825



ABRASIVE PAPER- CLAMP TYPE FOR FDS 140


- Perforated sanding discs for wood, metal, paint, lacquer, plaster
- Grit type: fused alumina, half-open
- Artificial resin-bonded on special tear-resistant paper

Grit	Dimensions (mm)	Quantity	Article Number	EAN Code
60	115 x 140	10	**4932352424**	**4002395370832**
80	115 x 140	10	**4932352425**	**4002395370849**
120	115 x 140	10	**4932352426**	**4002395370856**
240	115 x 140	10	**4932352427**	**4002395370863**



ABRASIVE DELTA PAPER- HOOK & LOOP FOR FDS 140

Grit	Dimensions (mm)	Quantity	Article Number	EAN Code
60	110 x 88	10	**4932352925**	4002395375837
80	110 x 88	10	**4932352926**	4002395375844
120	110 x 88	10	**4932352927**	4002395375851
240	110 x 88	10	**4932352928**	4002395375868



ABRASIVE DISCS- HOOK & LOOP- 6 HOLES

- Perforated sanding discs for wood, metal, paint, lacquer, plaster
- Grit type: fused alumina, half-open
- Artificial resin-bonded on special tear-resistant paper

Grit	Ø (mm)	Quantity	Article Number	EAN Code
40	150	5	**4932430454**	4002395381159
60	150	5	**4932430455**	4002395381166
80	150	5	**4932430456**	4002395381173
120	150	5	**4932430457**	4002395381180
180	150	5	**4932430458**	4002395381197
240	150	5	**4932430459**	4002395381203



POLISHING ACCESSORIES- HOOK & LOOP

Description	Ø (mm)	Height (mm)	Quantity	Article Number	EAN Code
Polishing backing pad Application: Reception of felt- / lambswool polishing discs and polishing sponges Characteristics: M14 thread, break resistant with integrated soft and flexible foam layer, Hook & Loop fixation	150	25	1	**4932430450**	4002395381111
Lambswool polishing disc Application: Finishing high gloss polishing Requires polishing backing pad Characteristics: Natural lambs wool, very soft and adaptable Hook & Loop fixation	150		1	**4932430453**	4002395381142
Polishing sponge - hard Application: Polish up of weather-beaten lacquer, lacquer reconditioning Requires polishing backing pad Characteristics: Medium hard, fine pored, with rounded edge, Hook & Loop fixation	150	50	1	**4932430452**	4002395381135
Polishing sponge- soft Application: Second polish of lacquer, lacquer care Requires polishing backing pad Characteristics: Super-soft, fine pored, with rounded edge, Hook & Loop fixation	150	50	1	**4932430451**	4002395381128









BASE PLATES

Description	Ø (mm)	No. of holes	Article Number	EAN Code
Base plate for EX 125 ES Complete with rubber ring as spare	125	8	**4932352870**	4002395375288
Base plate for EX 150 E Complete with rubber ring as spare	150	6	**4932352871**	4002395375295





INNOVATIVE WORKING SOLUTIONS FOR THE PROFESSIONAL TRADESMEN OF THE PAST, THE PRESENT AND THE FUTURE.



AEG POWERTOOLS

Since being founded, AEG POWERTOOLS has been leading the way in new product development. By introducing the first transportable drilling machines in 1898, AEG POWERTOOLS gave birth to the portable powertool. Over 120 years later AEG POWERTOOLS are still offering the professional user innovative, powerful solutions.

PROUD PAST. EXCITING FUTURE.

1898

WORLDS FIRST PORTABLE POWERTOOL



AEG POWERTOOLS introduced the first portable electric drill. It weighed 7.5kg and could drill holes of up to 6mm in steel.

1940

GRINDERS & POLISHERS



AEG POWERTOOLS produced the first double-insulated electric drills that protected users against electric shock. It launched its first hammer, the 5.5kg rotary/chipping EH 200, straight grinders and polishers soon followed.

1983

FIRST 2KG HAMMER



AEG POWERTOOLS continued its unrelenting focus on the professional trademan with the introduction of the 2kg Hammer.

1992

CREATION OF FIXTEC



AEG POWERTOOLS FIXTEC technology for jigsaws created a rapid-change system that made it easy for users to change accessories quickly.

1998

100 YEAR ANNIVERSARY



To mark the 100 year anniversary of AEG POWERTOOLS a limited series of Golden drills were produced.

2010

MODERN UPDATE

The change from blue to orange has now become synonymous with AEG POWERTOOLS and a symbol of professional power for the tradesman.



2011

PRO LITHIUM ION

PROLITHIUM BATTERY TECHNOLOGY

The introduction of the ProLithium-ion battery was the beginning of AEG POWERTOOLS cordless revolution. Providing cordless capability to applications that were once unthinkable without a cord.



2015

PRO 18v BRUSHLESS

BRUSHLESS TECHNOLOGY

The ProFlux brushless motor delivers unrelenting power and combined with its instinctive electronics and unstoppable battery the AEG POWERTOOLS Pro18v cordless range is one of the most existing range of cordless tools on the market.



2018

PRO 18v **SYSTEM EXPANSION**

Today, AEG POWERTOOLS still draws on its core heritage of delivering innovative and high quality products for professional users. It is a brand that has been able to innovate and adapt throughout its 120 year history. AEG POWERTOOLS proudly boasts over 35 tools on its Pro18v system alone, all specifically designed with the needs of the Tradesman in mind. With more cordless technology innovations planned, the future looks exciting.

PRO 18v ONE SYSTEM

35+ TOOLS



AEG
POWERTOOLS

CORDLESS/HAMMERS/DRILLING/ METALWORKING/WOODWORKING/ ACCESSORIES

AEG POWERTOOLS promises to draw upon its heritage and deliver exciting, high performance, innovative working solutions for the professional tradesmen of today and the future.

AEG POWER TOOLS
P.O. Box 320
D-71361 Winnenden
Germany

Tel.: +49 71 95 12-0
Fax: +49 71 95 12-666

www.aeg-powertools.com

EPTA

© AEG POWERTOOLS

AEG POWERTOOLS reserve the right to change all data including images, specification and service and warranty information without notice. AEG POWERTOOLS will hold no liability for printing errors or mistakes.

4939 6164 00